

KLEAN DRAIN® PRODUCTS

Drain Quat Rings & Links

DESCRIPTION

KLEAN DRAIN® is for use in the drain pans of many cooling units such as air conditioners and refrigerators. It may also for use in toilet bowls and urinals and in floor drains. It is for use in food processing facilities, as well as hotels, motels, schools, colleges, hospitals, nursing homes, and airports. This product is effective against odor-causing bacteria. KLEAN DRAIN is a controlled release product that easily fits into many air conditioners, refrigerator drip pans, or the water tank of your dehumidifier.

FEATURES

- Controlled release mechanism

BENEFITS

- Effective against odor-causing bacteria.
- Lasts up to (6) month, effectively maintaining clean water and inhibiting the foul odors caused by mildew, fungi, bacteria, and slime.

SAFETY INFORMATION

UTILIZE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS PER SDS.

HANDLE AND STORE AS INDICATED ON PRODUCT LABEL.

IF ON SKIN: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. **Get medical attention if irritation persists.** Wash clothes before reusing.

IF IN EYES: In case of contact, immediately flush with plenty of water for at least 15 minutes. **Get medical attention if irritation persists.**

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. **Get medical attention.**

Consult your Safety Data Sheet for additional safety information.

Klean Drain

SAFETY DATA SHEET

Preparation Date: 15-Mar-2007

Revision Date: 19-Sep-2018

Revision Number: 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Klean Drain

Other means of identification

Item#: 9652

Synonyms Klean Drain Donuts, Klean Drain Sausages

Recommended use of the chemical and restrictions on use

Recommended use Use in drains

Uses advised against All other

Details of the supplier of the safety data sheet

Supplier DeLaval Cleaning Solutions
11100 N. Congress Ave.
Kansas City, MO 64153
Tel: 816-891-7700, 8am – 5pm M-F

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

Appearance Light brown, Yellow

Physical state Solid

Odor Fresh

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Didecyldimethylammonium chloride	7173-51-5	12.0
Ethyl alcohol	64-17-5	<5
Alkyl (C12-16) dimethylbenzylammonium chloride	68424-85-1	10 - 20

If a concentration range is shown, the exact concentration has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first-aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Remove contaminated clothing and shoes. Rinse skin immediately with plenty of water for 15-20 minutes.
Inhalation	Move to fresh air.
Ingestion	Drink promptly a large quantity of milk, egg whites, gelatin solution; or if they are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

Most important symptoms and effects, both acute and delayed

May cause irreversible eye damage. May irritate or burn sensitive skin. May cause gastrointestinal irritation.

Indication of any immediate medical attention and special treatment needed

Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog).

Unsuitable Extinguishing Media

No information available.

Specific hazards arising from the chemical

No information available.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health hazards 2 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes. Use personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³	3300 ppm

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face Protection Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Odor	Fresh
Appearance	Light brown, Yellow	Odor Threshold	No information available
Property	Values	Remarks/ Method	
pH	6 - 8		
Melting point/freezing point	0 °C / 32 °F		
Boiling Point/Range	No information available		
Flash Point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit	No information available		
Lower flammability limit	No information available		
Vapor Pressure	No information available		
Vapor Density	1		
Specific Gravity	1		
Water Solubility	Time release of actives		
Partition coefficient: n-octanol/water	No information available		
Autoignition Temperature	No information available		
Decomposition temperature	No information available		
Viscosity of Product	No information available		
Dynamic viscosity	No information available		

Other information

Liquid Density No information available

10. STABILITY AND REACTIVITY

Reactivity

No adverse reactions expected under normal conditions of use.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight. Keep away from children.

Incompatible Materials

None known

Hazardous decomposition products

Carbon dioxide (CO₂). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Principal Routes of Exposure Eye contact, Skin contact, Ingestion

Information on likely routes of exposure

Eyes	Avoid contact with eyes.
Skin	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Inhalation	Do not inhale.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Product is not identified as a sensitizer according to OSHA regulations.
Mutagenic effects	Product is not identified as a mutagen according to OSHA regulations.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not classifiable

NTP (National Toxicology Program)

Known - Known Carcinogen

The classification is for "alcoholic beverages" and is intended to cover only that use of Ethyl Alcohol.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Effects	Product is not identified as having reproductive effects according to OSHA regulations.
STOT - single exposure	Product is not identified as having single target organ toxicity (single exposure) according to OSHA regulations.
STOT - repeated exposure	Product is not identified as having single target organ toxicity (repeated exposure) according to OSHA regulations.
Aspiration Hazard	Product is not identified as an aspiration hazard according to OSHA regulations.

Numerical measures of toxicity

If available, toxicity values of individual components are shown below.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Didecyldimethylammonium chloride	238 mg/kg (Rat)	No data available	No data available

7173-51-5 Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	>20000 mg/kg (rabbit)	124.7 mg/L (rat)
Alkyl (C12-16) dimethylbenzylammonium chloride 68424-85-1	344 mg/kg (Rat)	No data available	No data available

100% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Didecyldimethylammonium chloride 7173-51-5	EC50 0.09 mg/L 72h	LC50 0.28 mg/L 96 h	No data available	LC50 0.0059 mg/L 48 h
Ethyl alcohol 64-17-5	No data available	100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

This product may be disposed of in everyday trash.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

California Proposition 65

WARNING: This product can expose you to chemicals including Ethyl Alcohol, which is

known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

The list of Proposition 65 chemicals lists "Ethyl alcohol in alcoholic beverages" and is intended to cover only that use of Ethyl Alcohol.

State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 68114-1-82882

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide label**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing, and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

Preparation Date: 15-Mar-2007
Revision Date: 19-Sep-2018
Revision Note: None

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of SDS