

Safety Data Sheet

Issue Date: 27-Dec-2011 Revision Date: 26-Nov-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Two-O-One

Other means of identification

 SDS #
 BE-5055

 Product Code
 5055

 UN/ID No
 UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Heavy Duty Cleaner/Degreaser, Water Based.

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

Emergency Telephone Number

Company Phone Number 1-651-632-8956 (International)

1-800-303-0441 (North America)

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceClear yellow liquidPhysical StateLiquidOdorCitrus

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Neodecanoic Acid	26896-20-8	<5
Sodium hydroxide	1310-73-2	4.4
Tetrasodium EDTA	64-02-8	<3
Sodium metasilicate	6834-92-0	<3

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

Skin ContactWash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a

physician.

Inhalation Remove to fresh air. Call a physician.

Ingestion Drink 2-3 large glasses of water. Do not induce vomiting. Call a physician immediately.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms Contact will cause irritation and redness to exposed areas. May cause redness, pain, and

severe skin burns. Inhalation causes irritation and burning to nose and throat. Ingestion

may cause nausea and headache. Can cause defatting of skin tissue.

BE-5055 - Buckeye Two-O-One Revision Date: 26-Nov-2014

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated

by overexposure to this product.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Oxides of sulfur. Carbon oxides. Silicon oxides. Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face,

hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. If concentrated or

diluted product is allowed to dry on glass, etching may occur.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store away from incompatible materials. Store at room temperature. Keep container

closed when not in use. Store on low shelves.

Packaging Materials Rinse container before discarding.

Incompatible Materials Acids. Chlorine bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Sodium metasilicate 6834-92-0	2 mg/m³	2 mg/m ³	-

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands

thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

(Water = 1)

Information on basic physical and chemical properties

Physical State Liquid

рH

Appearance Clear yellow liquid Odor Citrus

Color Clear yellow **Odor Threshold** Not determined

Remarks • Method Property Values

 13.0 ± 0.2 (conc)

 12.0 ± 0.2 (1:40 dilution)

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point None **Evaporation Rate** 1.0

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits Not applicable Not applicable **Lower Flammability Limit Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity 1.06 Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Acids. Chlorine bleach.

Hazardous Decomposition Products

Sulfur oxides. Carbon oxides. Silicon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene glycol monobutyl ether 29911-28-2	= 1620 µL/kg (Rat)	= 5860 μL/kg (Rabbit)	> 2.04 mg/L (Rat) 4 h = 42.1 ppm (Rat) 4 h
Neodecanoic Acid 26896-20-8	= 2700 mg/kg (Rat)	> 3640 mg/kg (Rat)	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Revision Date: 26-Nov-2014

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dipropylene glycol monobutyl ether 29911-28-2		841: 96 h Poecilia reticulata mg/L LC50 static		
Neodecanoic Acid 26896-20-8		32: 96 h Lepomis macrochirus mg/L LC50 static		47.11: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Sodium hydroxide	Toxic	
1310-73-2	Corrosive	

BE-5055 - Buckeye Two-O-One Revision Date: 26-Nov-2014

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group || |

<u>IATA</u>

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group II

IMDG

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Neodecanoic Acid	Present	X		Present		Present	X	Present	Х	Х
Sodium hydroxide	Present	Х		Present		Present	Х	Present	Х	Χ
Tetrasodium EDTA	Present	Х		Present		Present	Х	Present	Х	Х
Sodium metasilicate	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Χ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide	X	X	X
1310-73-2			

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards300Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date:27-Dec-2011Revision Date:26-Nov-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet