

SAFETY DATA SHEET

AF 350 (#2600)
Product ID: FP3156
Revised: 08-22-2013
Replaces: 11-03-2011

1. IDENTIFICATION

Product Name: AF 350 (#2600)
Synonyms: R11482
CAS Number: MIXTURE
Recommended Use: No data available.
Restrictions on Use: No data available.

Hydrite Chemical Co.
300 N. Patrick Blvd.
Brookfield, WI 53008-0948
(262) 792-1450

EMERGENCY RESPONSE NUMBERS:
24 Hour Emergency #: (414) 277-1311
CHEMTREC Emergency #: (800) 424-9300

2. HAZARD(S) IDENTIFICATION



Signal Word: Danger

GHS Classification: Substance or mixture corrosive to metals Category 1
Skin Corrosion/Irritation Category 1C
Serious Eye Damage/Eye Irritation Category 1
Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Hazard Statements: May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

Precautionary Statements:

Prevention: Keep only in original container.
Do not breathe dust, fume, gas, mist, vapors or spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear gloves, eye and face protection and protective clothing.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage: Store in a well-ventilated place. Keep container tightly closed.
Store in a secure manner.

Store in corrosive resistant container with a resistant inner liner.

Disposal: Dispose of in accordance with local, regional and international regulations.

Hazards Not Otherwise Classified: May react violently with water.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	% by Wt.
Phosphoric Acid	7664-38-2	< 30 %
Dimethyldodecylamine Oxide	1643-20-5	< 5 %

4. FIRST-AID MEASURES

Eye Contact: If in eyes: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Tilt head to avoid contaminating unaffected eye. Get immediate medical attention. Remove contact lens if easy to do.

Skin Contact: If on skin: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Do not reuse clothing and shoes until cleaned. Do not apply oils or ointments unless ordered by the physician.

Inhalation: If inhaled: Remove to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration, preferably mouth-to-mouth. GET MEDICAL ATTENTION IMMEDIATELY.

Ingestion: If swallowed: If fully conscious, drink a quart of water. DO NOT induce vomiting. CALL A PHYSICIAN IMMEDIATELY. If unconscious or in convulsions, take immediately to a hospital or a physician. NEVER induce vomiting or give anything by mouth to an unconscious victim. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Rinse mouth with fresh water.

Most Important Symptoms/Effects:

Eye Contact: CORROSIVE-Causes severe irritation and burns.
Skin Contact: CORROSIVE-Causes severe irritation and burns.
Inhalation: CORROSIVE-Causes severe irritation and burns.
Ingestion: CORROSIVE-Causes severe irritation and burns.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Not flammable or combustible. For fires in area use appropriate media. For example: Water spray. Dry chemical. Carbon dioxide. Foam.

Fire Fighting Methods: Evacuate area of unprotected personnel. Wear protective clothing including NIOSH-approved self-contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to cool fire-exposed containers. Product generates heat upon addition of water, with possible spattering. Run-off from fire control may cause pollution.

Fire and Explosion Hazards: This product may react with certain metals to produce flammable Hydrogen Gas.

Hazardous Combustion Products: Phosphorous oxides. Phosphine. Toxic vapors. Nitrogen oxides. Ammonia. Carbon dioxide. Carbon monoxide. Hydrocarbons.

6. ACCIDENTAL RELEASE MEASURES

Spill Clean-Up Procedures: Eliminate all sources of ignition. Evacuate unprotected personnel from area. Maintain adequate ventilation. Follow personal protective equipment recommendations found in Section 8. Never exceed any occupational exposure limit. Contain spill, place into drums for proper disposal. Soak up residue with inert absorbent material. Place in non-leaking containers for immediate disposal. Flush remaining area with water and neutralize with Soda Ash, Lime or Limestone and dispose of properly. Adequate ventilation is required if soda ash is used, because of the consequent release of carbon dioxide gas. Avoid direct discharge to sewers

and surface waters. Notify authorities if entry occurs. Do not touch or walk through spilled material. Prevent entry into basements, low areas, or confined areas.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Do not swallow. Avoid breathing vapors, mists, or dust. Do not eat, drink, or smoke in work area. Wash thoroughly after handling. CORROSIVE MATERIAL.

Storage: CORROSIVE MATERIAL. Store in a cool, well ventilated area, out of direct sunlight. Store in a dry location away from heat. Keep away from incompatible materials. Keep containers tightly closed. Do not store in unlabeled or mislabeled containers. Do not freeze. May react with certain metals to produce flammable hydrogen gas. Keep away from all sources of ignition. See Section 10 for incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA Exposure Guidelines:

Component	Limits
Phosphoric Acid	1 mg/m ³ TWA

ACGIH Exposure Guidelines:

Component	Limits
Phosphoric Acid	3 mg/m ³ STEL; 1 mg/m ³ TWA

Engineering Controls: General room ventilation and local exhaust are required. Maintain adequate ventilation. Do not use in closed or confined spaces. Avoid creating dust or mist. Keep levels below exposure limits. To determine exposure levels, monitoring should be performed regularly.

Eye/Face Protection: Wear chemical safety goggles and a full face shield while handling this product. Do not wear contact lenses.

Skin Protection: Prevent contact with this product. Wear gloves and protective clothing depending on condition of use. Protective gloves: Acid-proof. Gauntlet-type. Rubber. Neoprene. Nitrile.

Respiratory Protection: Respiratory protection must be worn if ventilation does not eliminate symptoms or keep levels below recommended exposure limits. If exposure limits are exceeded, wear: NIOSH-Approved respirator. Acid gas cartridge. DO NOT exceed limits established by the respirator manufacturer. All respiratory protection programs must comply with OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements and must be followed whenever workplace conditions require a respirator's use.

Other Protective Equipment: Eye-wash station. Safety shower. Rubber apron. Chemical safety shoes. Rubber boots. Protective clothing.

General Hygiene Conditions: Wash with soap and water before meal times and at the end of each work shift. Good manufacturing practices require gross amounts of any chemical be removed from skin as soon as practical, especially before eating or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid.

Color: Red.

Odor: Bland.

Odor Threshold: N.D.

pH: < 2.00 (as is)

Freezing Point (deg. F): N.D.

Melting Point (deg. F): N.D.

Initial Boiling Point or Boiling Range: > 212 °F

Flash Point: N.A.

Flash Point Method: N.A.

Evaporation Rate (nBuAc = 1): N.D.

AF 350 (#2600)

Product ID: FP3156

Flammability (solid, gas): N.D.
Lower Explosion Limit: N.A.
Upper Explosion Limit: N.A.
Vapor Pressure (mm Hg): N.D.
Vapor Density (air=1): N.D.
Specific Gravity or Relative Density: 1.1505 @ 25 C
Solubility in Water: Complete
Partition Coefficient (n-octanol/water): N.D.
Autoignition Temperature: No Data
Decomposition Temperature: N.D.
Viscosity: N.D.
% Volatile (wt%): N.D.
VOC (wt%): 0
VOC (lbs/gal): 0
Fire Point: N.D.

10. STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur under normal conditions. May react with certain metals to produce flammable hydrogen gas. Mixing with strong bases can cause high heat of reaction and generate steam. Phosphoric acid forms flammable gases with sulfides, mercaptans, cyanides and aldehydes. Phosphoric acid forms toxic fumes with cyanides, sulfides, fluorides, organic peroxides, and halogenated organics. Phosphoric acid mixtures with nitromethane are explosive.

Conditions to Avoid: Contact with water may cause violent reaction with evolution of heat. To dilute: Add product slowly to lukewarm water; not water to product. Avoid high temperatures. Avoid heat, sparks or open flames.

Incompatible Materials: Metals. Strong oxidizing agents. Strong reducing agents. Sulfides. Sulfites. Bases. Fluorine. Sulfur trioxide. Phosphorous pentoxide. Sodium tetrahydroborate. Aldehydes. Amines. Amides. Alcohols. Azo-compounds. Carbamates. Esters. Caustics. Phenols. Cresols. Ketones. Organophosphates. Epoxides. Explosives. Combustible materials. Unsaturated halides. Organic peroxides. Mercaptans. Cyanides. Nitromethane. Glycols. Fluorides. Halogenated organics. DO NOT USE sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-causing nitrosamines could be formed.

Hazardous Decomposition Products: Phosphorous oxides. Phosphine. Nitrogen oxides. Ammonia. Carbon monoxide. Carbon dioxide. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Component	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric Acid	Rat: 1530 mg/kg	Rabbit: 2730 mg/kg	1H Rat: > 850.0 mg/m3

Acute Toxicity Estimate (ATE):

Oral: 5,829 mg/kg

Routes of Exposure: Eyes. Skin. Inhalation. Ingestion.

Eye Contact: CORROSIVE-Causes severe irritation and burns. May cause: permanent eye damage. blindness.

Skin Contact: CORROSIVE-Causes severe irritation and burns. Contact may cause: permanent skin damage. Contact may not produce an immediate burning sensation, delaying awareness that contact has occurred.

Skin Absorption: No more than slightly toxic based on toxicity studies.

AF 350 (#2600)

Product ID: FP3156

Inhalation: May be corrosive to the respiratory tract. Severe irritation and burns may result. Vapors or mists may irritate: respiratory tract. Serious cases of inhalation may cause: respiratory problems and late pulmonary edema.

Ingestion: CORROSIVE-Causes severe irritation and burns. May irritate or burn: mouth. throat. stomach. May cause: nausea. vomiting. abdominal discomfort. abdominal pain. burning sensation. Severe exposures may cause: shock. circulatory collapse. death.

Medical Conditions Aggravated by Exposure to Product: Eye disorders. Skin disorders. Impaired respiratory function.

Other: None known.

Cancer Information:

This product does not contain 0.1% or more of the known or potential carcinogens listed in NTP, IARC, or OSHA.

Phosphoric Acid has a low vapor pressure at room temperature and is not expected to present a significant inhalation hazard under ambient conditions. Phosphoric Acid can, however, be irritating to the respiratory tract if inhaled as a mist or if the material is vaporized. The American Conference of Governmental Industrial Hygienists (ACGIH) has established a Threshold Limit Value (TLV) for Phosphoric Acid. For further information on this material, please refer to the current edition of the Documentation of The Threshold Limit Values and Biological Exposure Indices.

12. ECOLOGICAL INFORMATION

Ecotoxicological Information: No data available.

Chemical Fate Information: No specific biodegradation test data was located in a search of the available scientific literature. It was reported in the literature that while acidity of this material may be reduced readily in natural waters, the phosphate may persist indefinitely. Phosphates are plant nutrients and may contribute to the growth of phytoplankton in water.

13. DISPOSAL CONSIDERATIONS

Hazardous Waste Number: D002

Disposal Method: Dispose of in a permitted hazardous waste management facility following all local, state and federal regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied. DO NOT pressurize, cut, weld, solder, drill, grind or expose empty containers to heat, flame, sparks or other sources of ignition. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

14. TRANSPORT INFORMATION

DOT (Department of Transportation):

Identification Number: UN3264
Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID)
Hazard Class: 8
Packing Group: III
Label Required: CORROSIVE
Reportable Quantity (RQ): 5000# (Phosphoric Acid)

15. REGULATORY INFORMATION

TSCA Inventory Status: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

AF 350 (#2600)

Product ID: FP3156

SARA Title III Section 311/312 Category Hazards:

<u>Immediate (Acute)</u> Yes	<u>Delayed (Chronic)</u> No	<u>Fire Hazard</u> No	<u>Pressure Release</u> No	<u>Reactive</u> No
---------------------------------	--------------------------------	--------------------------	-------------------------------	-----------------------

Regulated Components:

<u>Component</u>	<u>CAS</u> <u>Number</u>	<u>CERCLA</u> <u>RQ</u>	<u>SARA</u> <u>EHS</u>	<u>SARA</u> <u>313</u>	<u>U.S.</u> <u>HAP</u>	<u>WI</u> <u>HAP</u>	<u>Prop</u> <u>65</u>
Phosphoric Acid	7664-38-2	Yes	No	No	No	Yes	No

***Prop 65 - May Contain the Following Trace Components:**

Arsenic

Lead

Cadmium

16. OTHER INFORMATION

Hazard Rating System

Health: 3

Flammability: 0

Reactivity: 0

* = Chronic Health Hazard

NFPA Rating System

Health: 3

Flammability: 0

Reactivity: 0

Special Hazard: None

MSDS Abbreviations

N.A. = Not Applicable

N.D. = Not Determined

HAP = Hazardous Air Pollutant

VOC = Volatile Organic Compound

C = Ceiling Limit

N.E./Not Estab. = Not Established

MSDS Prepared by: CSH

Reason for Revision: New format.

Revised: 08-22-2013

Replaces: 11-03-2011

The data in this Safety Data Sheet relates to the specific material designated and does not relate to its use in combination with any other material or process. The data contained is believed to be correct. However, since conditions of use are outside our control it should not be taken as warranty or representation for which HYDRITE CHEMICAL CO. assumes legal responsibility. This information is provided solely for your consideration, investigation, and verification.