

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

1. Identification

Product identifier used on the label:

ACE2CYCLASHW/FUELSTBLR6/

Stock Number:

AH2JFSP6

Other means of identification:

Synonyms:

No data available

Recommended use of the chemical and restrictions on use:

Recommended use:

Two Cycle Engine Oil

Restrictions on use:

Uses other than those described above

Name, address, and telephone number
of the chemical manufacturer,
importer, or other responsible party:

Warren Distribution, Inc.

727 S. 13th Street

Omaha, NE 68102

Phone number:

+01 (800) 825-1235

+01 (402) 341-9397

E-mail address:

sds@wd-wpp.com

Emergency phone number:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard
Symbols:



GHS Classification:

Germ Cell Mutagenicity Category 1B

Carcinogenicity Category 1A

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure
Category 1

Hazardous to the aquatic environment - Acute Category 2

Hazardous to the aquatic environment - Chronic Category 2

Acute Toxicity - Inhalation Dust / Mist Category 3

Signal Word:

Danger

Hazard Statements:

Toxic if inhaled; May cause genetic defects.; May cause cancer.; Causes
damage to organs through prolonged or repeated exposure; Toxic to
aquatic life; Toxic to aquatic life with long lasting effects

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

Precautionary Statements:

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). Collect spillage.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

No data available

% unknown toxicity (Inhalation Gas):

20.405099 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Distillates, petroleum, hydrosulfurized middle	No data available	64742-80-9	5 - 10
Distillates, petroleum, hydrosulfurized light catalytic cracked	No data available	68333-25-5	5 - 10
Distillates, petroleum, straight-run middle	No data available	64741-44-2	5 - 10
Kerosene	No data available	8008-20-6	5 - 10
Residual oils, petroleum, solvent-refined	No data available	64742-01-4	5 - 10
Kerosine, petroleum, hydrosulfurized	No data available	64742-81-0	1 - 5
Light hydrocracked distillate	No data available	64741-77-1	1 - 5
Naphthalene	No data available	91-20-3	0.1 - 1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing.
Eye Contact:	Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation results. Thermal burns require immediate medical attention.
Skin Contact:	Remove contaminated clothing immediately. Wash area of contact thoroughly with soap and water. Get medical attention if irritation persists. High pressure skin injections are serious medical emergencies. Get immediate medical attention. Thermal burns require immediate medical attention. Seek medical advice if symptoms persist.
Ingestion:	Seek medical attention immediately or call the Poison control center. Do not induce vomiting. If patient is fully conscious, give up to two glasses of water. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	Toxic if inhaled Causes damage to organs through prolonged or repeated exposure
Indication of immediate medical attention and special treatment needed, if necessary:	Specific treatment (see Sections 4 - 8 of Safety Data Sheet).

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
--------------------------------------	---

Unsuitable extinguishing media:	No data available
--	-------------------

Specific hazards arising from the chemical:	No data available
--	-------------------

Hazardous combustion products:	Carbon monoxide, Smoke
---------------------------------------	------------------------

Special protective equipment and precautions for fire-fighters:	No data available
--	-------------------

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid release to the environment.

Methods and materials for containment and cleaning up: Collect spillage.

7. Handling and storage

Precautions for safe handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Kerosene	No PEL	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total hydrocarbon vapor)	No STEL	No data available
Distillates, petroleum, hydrodesulfurized middle	5 mg/m ³	5 mg/m ³	10 mg/m ³	No data available
Kerosine, petroleum, hydrodesulfurized	No PEL	200 mg/m ³ TWA (application restricted to conditions in which there are negligible	No STEL	No data available

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

		aerosol exposures, total hydrocarbon vapor)		
Naphthalene	10 ppm TWA; 50 mg/m3 TWA	10 ppm TWA	15 ppm STEL	250 ppm IDLH

Appropriate engineering controls: Use only outdoors or in a well-ventilated area. Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Do not breathe dust/fume/gas/mist/vapors/spray.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection., If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Eye protection: No special requirements under normal industrial use.

Skin protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

General hygiene conditions: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid

Color: Blue

Odor: Mild

Odor Threshold: Not determined

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

pH:	Not determined
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	Not determined
Flash Point (°C):	120
Flash Point Method:	COC
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	5
Lower flammability or explosive limits:	0.7
Vapor pressure:	> 3 MMHG
Vapor density:	4.42
Relative density:	0.87
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	54.25
Volatile organic compound (VOC) content and percentage of volatiles:	0.000000

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No data available
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

	Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present., Carbon monoxide, Smoke

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation
Symptoms related to the physical, chemical and toxicological characteristics:	Toxic if inhaled Causes damage to organs through prolonged or repeated exposure

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:	Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.
Skin Contact:	This material is estimated to be severely irritating (Primary Irritation Index is 6.0 - 6.5 [rabbits]).Contact may result in defatting, redness, itching, inflammation, cracking, and possible secondary infection. High pressure skin injections are Serious Medical Emergencies. Injury may not appear serious at first; within a few hours, tissue will become swollen, discolored and extremely painful (see Notes to Doctor). Contact with heated material may cause thermal burns.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity:	Toxic if inhaled
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	No data available
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Contains a substance that is a probable cancer hazard based on animal studies using doses likely to be encountered in the workplace.

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

STOT-single exposure:	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
STOT-repeated exposure:	Causes damage to organs through prolonged or repeated exposure
Aspiration hazard:	Non-hazardous under Aspiration category.
Other information:	No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum, hydrodesulfurized middle	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4600 MG/M3
Distillates, petroleum, hydrodesulfurized light catalytic cracked	OLD50 Rat 3200 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L
Distillates, petroleum, straight-run middle	OLD50 Rat 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 1700 MG/M3
Kerosene	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5.28 mg/L
Residual oils, petroleum, solvent-refined	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L
Kerosine, petroleum, hydrodesulfurized	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5.2 mg/L
Light hydrocracked distillate	OLD50 Rat 3200 mg/kg	Dermal LD50 Rat > 2000 mg/kg Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L
Naphthalene	OLD50 Rat 490 mg/kg	Dermal LD50 Rabbit > 20000 mg/kg	Inhalation LC50 (1h) Rat > 340 MG/M3

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
Naphthalene	Y	N	Y

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

Other adverse effects (such as hazardous to the ozone layer): No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Dispose of contents and container in accordance with local/regional/national/international regulations.

Contaminated packaging: Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

No data available

International carriage of dangerous goods by air (IATA):

No data available

Environmental hazards (e.g., Marine pollutant (Yes/No)): Yes

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): No data available

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Distillates, petroleum, straight-run middle	64741-44-2	N	N	N	N
Kerosene	8008-20-6	N	N	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	N	N	N
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	N	N	N
Residual oils, petroleum, solvent-refined	64742-01-4	N	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N
Naphthalene	91-20-3	Y	N	Y	Y

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Distillates, petroleum, straight- run middle	64741-44-2	N	N	N	N
Kerosene	8008-20-6	N	N	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	N	N	N
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	N	N	N
Residual oils, petroleum, solvent- refined	64742-01-4	N	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N
Naphthalene	91-20-3	Y	N	N	N

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N	N
Petroleum distillates, hydrotreated heavy	64742-54-7	N	N	N	N	N

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

paraffinic						
Distillates, petroleum, straight- run middle	64741-44-2	N	N	N	N	N
Kerosene	8008-20-6	Y	Y	Y	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	N	N	N	N
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	N	N	N	N
Residual oils, petroleum, solvent- refined	64742-01-4	N	N	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N	N
Naphthalene	91-20-3	Y	Y	Y	N	Y

16. Other information, including date of preparation or last revision.

SDS Prepared by: SGOCHENOUR

Revision Date: 04-20-2017

Revision Number: 6

Reason for revision: NEW VERSION

References: No data available

Other Info: No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in

Safety Data Sheet

Product identifier used on the label: ACE2CYCLASHW/FUELSTBLR6/

Stock Number: AH2JFSP6

Revision Date: 04-20-2017

Replaces:

this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.