



Safety Data Sheet

acc. to OSHA HCS


Printing date 03/29/2024

Reviewed on 03/29/2024

1 Identification

- **Product identifier**
- **Trade name:** KLEAN DRAIN DONUTS
- **Article number:** QBL125A
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ZEE COMPANY
3401 Cummings Rd.
Chattanooga, TN 37419
- **Information department:** Technical Services: 423-698-1401
- **Emergency telephone number:** CHEMTREC: 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements**
- **Hazard-determining components of labeling:**
Quaternary Ammonium Compound
Didecyldimethylammonium chloride
Ethanol
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**


Health = 2
Fire = 0
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**

HEALTH	*2	Health = *2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SDS ID: FP0013 NAME: KLEAN DRAIN
Safety Data Sheet
 acc. to OSHA HCS

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

68424-85-1	Quaternary Ammonium Compound	10-15%
7173-51-5	Didecyldimethylammonium chloride	10-15%
64-17-5	Ethanol	2.5-10%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

68424-85-1	Quaternary Ammonium Compound	1.3 mg/m ³
7173-51-5	Didecyldimethylammonium chloride	0.82 mg/m ³
64-17-5	Ethanol	1,800 ppm

- **PAC-2:**

68424-85-1	Quaternary Ammonium Compound	14 mg/m ³
------------	------------------------------	----------------------

(Contd. on page 3)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

		(Contd. of page 2)
7173-51-5	Didecyldimethylammonium chloride	9 mg/m ³
64-17-5	Ethanol	3300* ppm
· PAC-3:		
68424-85-1	Quaternary Ammonium Compound	84 mg/m ³
7173-51-5	Didecyldimethylammonium chloride	17 mg/m ³
64-17-5	Ethanol	15000* ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

64-17-5 Ethanol	
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
	A3

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 3)

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Solid
Color:	Yellowish, brown polymer matrix with encapsulated actives

- Odor: Fresh

- Odor threshold: Not determined.

- pH-value at 20 °C (68 °F): 6-8

- Change in condition

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	Undetermined.

- Flash point: Not applicable.

- Flammability (solid, gaseous): Not determined.

- Decomposition temperature: Not determined.

- Ignition temperature: Product is not selfigniting.

- Danger of explosion: Product does not present an explosion hazard.

- Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 4)

· Vapor pressure at 20 °C (68 °F):	<0.1 hPa
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	<5.0 %
VOC content:	<5.00 %
· Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
No dangerous reactions known.
Do not mix with bleach or other chlorinated products – will cause chlorine gas.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

US

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 5)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5	Ethanol	1
---------	---------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

a. Aquatic Toxicity Freshwater fish, 96 hr LC50 = > 100 mg/l (estimated)

Daphnia magna, 48 hr EC50 = > 100 mg/l (estimated)

Acute aquatic toxicity will result from oxygen depletion caused by sulfite ingredient. Prevent spills from entering natural waterways and sewer systems.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Smaller quantities can be disposed of with household waste.

Dispose of in accordance with federal, state, and local regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA** -

· **UN proper shipping name** Not Regulated

· **DOT, IMDG, IATA** -

(Contd. on page 7)

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 6)

· Transport hazard class(es)	Not regulated
· DOT, ADR, ADN, IMDG, IATA	
· Class	-
· Packing group	None
· DOT, IMDG, IATA	-
· Environmental hazards:	Not applicable.
· Special precautions for user	No aplicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 · **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 Ethanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

64-17-5 Ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2024

Reviewed on 03/29/2024

Trade name: KLEAN DRAIN DONUTS

(Contd. of page 7)

- **GHS label elements**
- **Hazard-determining components of labeling:**
 Quaternary Ammonium Compound
 Didecyldimethylammonium chloride
 Ethanol
- **Precautionary statements** Keep out of reach of children.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:**
 Jim Faller/Ben Pesigan
 Jim Faller / Ben Pesigan
- **Date of preparation / last revision** 03/29/2024
- **Abbreviations and acronyms:**
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
- *** Data compared to the previous version altered.**

US