SAFETY DATA SHEET

1. Identification

Product identifier Ultra Performance White FDA Grease

Product Code 301964
Other means of identification Not available.
Recommended use Lubricating Grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Calumet Branded Products, LLC

Address 2780 Waterfront Pkwy E. Dr., Suite 200

Indianapolis, Indiana 46214

United States

Telephone 281-354-8600

E-mail technical@calumetspecialty.com

Emergency phone CHEMTREC 1-800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

PreventionAvoid release to the environment.ResponseWash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Combustible.

Supplemental information 92.43% of the mixture consists of component(s) of unknown acute oral toxicity. 95.83% of the

mixture consists of component(s) of unknown acute dermal toxicity. 92.43% of the mixture consists of component(s) of unknown acute inhalation toxicity. 93.43% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 93.43% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 93.43% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 93.43% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
White Mineral Oil (petroleum)		8042-47-5	76.79

Material name: Ultra Performance White FDA Grease
301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019

Chemical name	Common name and synonyms	CAS number	%
Butene, Homopolymer		9003-29-6	8
Zinc Oxide		1314-13-2	2.4
Other components below re	portable levels		12.81

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs,

Irritation of eyes and mucous membranes. Skin irritation.

keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear

suitable protective equipment.

Fire fighting

equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material name: Ultra Performance White FDA Grease 301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value **Form** Components **Type** PEL 5 mg/m3 White Mineral Oil Mist.

(petroleum) (CAS 8042-47-5)

US. ACGIH Threshold Limit Values

Value **Form** Components Type White Mineral Oil TWA 5 mg/m3 Inhalable fraction.

(petroleum) (CAS 8042-47-5)

US. NIOSH: Pocket Guide to Chemical Hazards

Components **Type** Value **Form** White Mineral Oil **STEL** 10 mg/m3 Mist. (petroleum) (CAS 8042-47-5)

> **TWA** 5 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Occupational Exposure Limits are not relevant to the current physical form of the product. **Exposure guidelines**

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Not available. **Form** Liquid. Paste. Color Not available. Odor Not available. Odor threshold Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range

> 807.8 °F (> 431 °C) Base Oil

Flash point 399.2 °F (204.0 °C) Base Oil

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Material name: Ultra Performance White FDA Grease 301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019 **Explosive limit - lower**

(%)

Not available.

Not available.

(70)

Explosive limit - upper

(%) Vapor pressure

0.00001 hPa estimated

Density0.91 g/cm3Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity208 cSt Base OilViscosity temperature104 °F (40 °C)

Other information

Explosive properties Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Percent volatile 0.1 % estimated

Specific gravity 0.91 VOC < 0.1 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Hydrogen chloride. Hydrogen cyanide (hydrocyanic acid). At thermal decomposition temperatures,

carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes and mucous membranes. Skin irritation.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Zinc Oxide (CAS 1314-13-2)

Acute Inhalation

LC50 Mouse > 5.7 mg/l, 4 Hours

Oral

LD50 Rat > 5 g/kg

Material name: Ultra Performance White FDA Grease 301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Due to lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

White Mineral Oil (petroleum) (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Aspiration hazard

Not classified.

Specific target organ toxicity

Due to lack of data the classification is not possible.

- repeated exposure

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Product		Species	Test Results
Ultra Performance Wh	nite FDA Grease		
Aquatic			
Crustacea	EC50	Daphnia	13614.458 mg/l, 48 hours estimated
Fish	LC50	Fish	19786.125 mg/l, 96 hours estimated
Components		Species	Test Results

Zinc Oxide (CAS 1314-13-2)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 2246 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

> its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Material name: Ultra Performance White FDA Grease SDS US 5 / 7 301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc Oxide	1314-13-2	2.4

Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 11-24-2015 **Revision date** 07-09-2019

Version # 6.0

Material name: Ultra Performance White FDA Grease

SDS US 301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Disclaimer

Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available

Material name: Ultra Performance White FDA Grease
301964 Version #: 6.0 Revision date: 07-09-2019 Print date: 07-09-2019