

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 4

Revision Date Supersedes Date

5/24/2016 7/30/2015

SECTION 1. IDENTIFICATION

Product identifier:

JBT H1 Food-Grade Formula 546

Part number:

365549A; 365549B

Identified uses:

Lubricant where there may be incidental food contact

Uses advised against:

Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

Supplier:

John Bean Technologies

70 West Madison

Suite 4400

Chicago, IL 60602 USA

Email contact:

1jbtlubricantinfo@jbtc.com

Non-emergency contact:

Phone: 800-835-3230

Emergency telephone: 3E Company: North America 800-451-8346

International 760-602-8703

SECTION 2. HAZARD(S) IDENTIFICATION

Classification:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and

available for employees and other users of this product.

Label elements

Pictograms:

Not applicable

Signal word:

Not applicable

Hazard statements:

Not applicable Not applicable

Precautionary

statements:

Hazards not otherwise Not applicable. classified:

Additional information: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Chemical name

Polyalphaolefin

% CAS#

50-95

Impurities

68037-01-4 None

SECTION 4. FIRST-AID MEASURES

First aid measures

Eye contact:

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physican.

Skin contact:

Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Ingestion:

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention.

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important

No further relevant information available.

symptoms and effects,

both acute and delayed:

Indication of any

No further relevant information available.

immediate medical attention and special treatment available:

General information:

No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Page 2 of 4

Revision Date Supersedes Date 5/24/2016 7/30/2015

Suitable extinguishing

media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

Unsuitable

extinguishing media:

Do not use direct stream of water.

Specific hazards:

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep contianers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe

handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure limits:

Chemical name

Exposure limit and source

Polyalphaolefin

5 mg/m3 (mist), OSHA

Exposure controls

Engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation:

Use in a well-ventilated area. See Engineering Controls.

Personal hygiene:

Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection:

Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection:

Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Water white colored lube oil with little or no odor Appearance / odor:

Upper flammability limit: Lower flammability limit: Not available

Physical state:

Vapor pressure:

Not available Not available

Odor threshold:

Liquid

Vapor density:

Not available Not available

Not available

Melting / freezing point: Not available

Not available

Relative density:

0.83 (typical)

Initial boiling point and boiling range;

489°F (254°C), ASTM D 92

Solubility in water:

Not available

Nil

(n-octanol/water):

Flash point:

Partition coefficient

-55		

Page 3 of 4

Revision Date Supersedes Date 5/24/2016 7/30/2015

Evaporation rate:

Not available

Autoignition temperature: Not available

Decomposition temperature: Not available

Flammability (solid, gas): Not applicable

Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity:

Not reactive under normal conditions.

Chemical stability:

Stable under recommended conditions.

Possibility of

Hazardous reactions are not expected to occur.

hazardous reactions:

Conditions and materials to avoid:

Avoid contact with heat, open flames, and oxidizing agents.

Hazardous

Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

Viscosity:

decomposition products:

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact:

No known significant effects or critical hazards.

Skin contact:

No known significant effects or critical hazards. No known significant effects or critical hazards.

Inhalation: Ingestion:

No known significant effects or critical hazards.

Component

Components

information:

Polyalphaolefin

>5000 mg/kg (oral, rat)

LD_{so}

>5.2 mg/l/4h (inhalation, rat)

<u>LC50</u>

Information on physical, chemical and toxicological effects

Symptoms:

See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects:

No further relevant information available.

Carcinogenicity:

This product does not contain a carcinogen or potential carcinogen as listed by NTP or IARC.

Numerical measures of

Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:

Not available

Component

Components

L(E)C₅₀

information:

Polyalphaolefin

>1000 mg/l/48h (Daphnia magna)

Persistence and

degradability:

Not determined

Diagonium

Bioaccumulative

Not determined

<u>potential:</u>

Mobility in soil:

Not available

Other adverse effects:

Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Consult national or regional authorities for proper disposal and reporting procedures.

methods: Consult national or region

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

Hazard Packing

a .		

Page 4 of 4

Revision Date Supersedes Date 5/24/2016 7/30/2015

	Proper Shipping Name:	UN Number:	Class:	Group:	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Extremely Hazardous

None

Substances:

SARA Section 304 **CERCLA Hazardous** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA:

Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals:

TSCA Inventory:

All components of this material are on the U.S. TSCA Inventory.

U.S. State Regulations

California Proposition

65 Status:

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

California

None

Proposition 65 Listed Components:

International Regulations

Canada:

This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI:

Not available Not available

Australia: Switzerland:

Not available

SECTION 16. OTHER INFORMATION

Sections Revised:

Section 1

Revision Date:

5/24/2016

The information and recommendations contained herein are, to the best of John Bean Technologies's knowledge and belief, accurate and reliable as of the date issued. John Bean Technologies makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and John Bean Technologies shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with John Bean Technologies's interpretation of the available data.

*** END OF SDS ***

Page 4 of 4

Revision Date

Supersedes Date

6/1/2015 1/8/2014

	Proper Shipping Name:	UN Number:	Class:	Group:	Remarks:
U.S. D.O.T.	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
IMDG	Not regulated	None	None	None	None
IATA	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

U.S. Federal Regulations:

SARA Section 302

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Extremely Hazardous Substances

SARA Section 304

Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

CERCLA Hazardous

reporting to the National Response Center under CERCLA:

Substances

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals

None

TSCA Inventory

All components of this material are on the U.S. TSCA Inventory.

California Proposition

65 Status

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

California

None

Proposition 65 Listed Components

International Regulations:

European Union:

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. A Chemical Safety Assessment has

not been carried out.

Canada

All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in

accordance with the hazard criteria of the CPR and this MSDS contains all the information required by CPR.

Japan MITI

Not available

Australia

Not available

Switzerland

Not available

SECTION 16. OTHER INFORMATION

Sections Revised:

New SDS format

Revision Date:

6/1/2015

The information and recommendations contained herein are, to the best of JBT FoodTech's knowledge and belief, accurate and reliable as of the date issued. JBT FoodTech makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JBT FoodTech shall not be liable for any loss or damage based up on the criteria supplied by the developers of these rating systems, together with JBT FoodTech's interpretation of the available data.

		8	
9			
	×		

Page 3 of 4

Not available

0.88 (typical)

Not available

Not available

Not available

Not applicable

Not an oxidizer

LC₅₀

Not available

Nil

Revision Date Supersedes Date 6/1/2015 1/8/2014

Physical state:

Liquid

Odor threshold:

Not available

pH:

Not available

Melting / freezing point: Not available

Boiling point / range:

Not available

Flash point:

Evaporation rate:

464°F (240°C), ASTM D 92

Not available

Upper flammability limit: Not available Lower flammability limit: Not available

Percent Volatile:

9.2 Other information

Nil

No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

10.3 Possibility of

See sub-sections below.

10.2 Chemical stability:

This material is stable under normal conditions. Hazardous reactions are not expected to occur.

hazardous reactions:

10.4 Conditions and

materials to avoid:

Avoid heat, open flames and oxidizing materials.

10.5 Hazardous

decomposition products:

Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

11.1 Information on toxicological effects

Acute toxicity /

Components

Lubricating oils (petroleum), C15-30, hydrotreated

LD₅₀ and LC₅₀ of ingredients:

neutral oil-based*

Routes of exposure:

Eyes, skin, ingestion and inhalation

Other information:

Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis, which can be

>5000 mg/kg (oral, rat)

LD₅₀

Vapor density:

Relative density:

Solubility in water:

Partition coefficient

(n-octanol/water):

Explosive properties:

Oxidizing properties:

Viscosity:

Autoignition temperature:

Decomposition temperature: Not available

fatal.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Components

L(E)C₅₀

Lubricating oils (petroleum), C15-30, hydrotreated

neutral oil-based*

Not available

Toxicity notes:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Persistence, bioaccumulation

This product is not, or does not contain, a substance that is a PBT or a vPvB.

and toxicity for substance(s):

12.6 Other adverse effects:

No adverse effects are expected.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

> Hazard Packing

Page 2 of 4

Revision Date

6/1/2015 **Supersedes Date** 1/8/2014

4.3 Indication of any immediate medical attention and special treatment available.

No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

5.1 Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

Unsuitable

Do not use direct stream of water.

extinguishing media:

5.2 Special hazards: Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

5.3 Advice for firefighters: Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

spaces or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

6.3 Containment and clean-up:

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

6.4 Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment.

SECTION 7. HANDLING AND STORAGE

7.1 Handling: Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

See Section 8.2 for information on occupational hygiene.

7.2 Storage: Store in a cool, dry place in tightly sealed containers. Store in out of direct sunlight. Do not store near heat, sparks, open

flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F).

Store away from oxidizing agents. Rotate stock.

See Section 10 for information on conditions and materials to avoid.

7.3 End Uses: Refer to Section 1 for identified uses, and uses advised against.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Workplace exposure

limits:

Components

Exposure limit and source

Lubricating oils (petroleum), C15-30, hydrotreated

5 mg/m3 (oil mist), OSHA

neutral oil-based*

8.2 Exposure controls

Engineering controls: Good general ventilation should be sufficient to control vapors under ambient conditions. Additional ventilation or exhaust

may be required to maintain air concentrations below recommended exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of work period. Product is readily removed from

skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical and chemical properties

Water white colored lube oil with little or no odor Vapor pressure: Appearance / odor: Not available



SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 4

Revision Date 6/1/2015 **Supersedes Date** 1/8/2014

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Formula 5220FG

Part number:

575069; 575070

1.2 Identified uses:

Lubricant where there may be incidental food contact

Uses advised against:

Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

1.3 Supplier:

JBT FoodTech

1622 First Street

Sandusky, OH 44870 USA

Email contact:

NAParts@NET.JBTC.com

Non-emergency

Phone: 800-408-7788 (Toll-Free)

Fax: 507-645-9664

contact: 1.4 Emergency telephone:

3E Company: North America 800-451-8346

International +1 760-602-8703

SECTION 2. HAZARDS IDENTIFICATION

2.1 GHS Classification:

Hazard class(es):

This product is not classified as hazardous according to the Globally Harmonized System (GHS).

2.2 Label elements

Pictograms:

Not applicable

Signal word:

Not applicable

Not applicable

Hazard-determining

components of

labeling: Hazard statements:

Not applicable

Precautionary

Not applicable

statements:

Additional information Not applicable

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: vPvB: Not applicable Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Composition

Components

<u>%</u>

CAS#

Impurities

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based*

60-90 72623-86-0 None

3.2 Additional

*Contains < 3% DMSO extract as measured by IP 346.

information

SECTION 4. FIRST AID MEASURES

4.1 First aid measures

Eye contact:

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physician.

Skin contact:

Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Ingestion:

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention.

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

4.2 Most important symptoms and effects, both acute and delayed.

No further relevant information available.