⁴ · Alaska Glacier FM 2

1

Page 1 of 11

Safety Data Sheet Alaska Glacier FM 2



Product Number: Revision Date: 34010G-1 12/03/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Code Alaska Glacier FM 2 34010G

3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Manufacturer LUBRICATING SPECIALTIES COMPANY 8015 PARAMOUNT BLVD. PICO RIVERA, CA 90660

Telephone No. (562) 776-4000 **1.4. Emergency telephone number** (800) 424-9300 24hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not Classified

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows.

Not Classified

HMIS	Health:	0	NFPA	Health:	0
	Fire:	1		Fire:	1

Physical Hazards:	0	Reactivity: 0
PPE:	С	Special Hazards:

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

SECTION 3: Composition/information on ingredients

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 / GHS Classification
1-Decene, homopolymer, hydrogenated CAS Number: 0068037-01-4	<50	Not Classified
Silane treated silica CAS Number: 0068611-44-9	<30	Not Classified
Polybutene CAS Number: 0009003-29-6	<30	Not Classified
Ethanol CAS Number: 0000064-17-5	<3	Flam, Liq, 2;H225

*The full texts of the phrases are shown in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation

If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin

In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

Eye

In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

Ingestion

Do not induce vomiting. Call a physician or emergency medical facility immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Use Carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

5.2. Special hazards arising from the substance or mixture

Hazardous Decomposition Products: May form CO and CO2.

5.3. Advice for fire-fighters

Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

6.2. Environmental precautions

Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state, and local environmental regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation.

In Storage

Store in a dry location at room temperature.

Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from strong oxidizing and reducing agents.

7.3. Specific end use(s)

There are no exposure scenarios, see details in section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The following occupational exposure limits have been established.

CAS Number	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	1000 ppm STEL
		NIOSH	TWA 1000 ppm (1900 mg/m3)
0009003-29-6	Polybutene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	hydrogenated	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0068611-44-9	Silane treated silica	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA	Select Carcinogen: No
			Group 1: Yes; Group 2A: No; Group 2B: No, Group 3: No; Group 4: No;
0009003-29-6	Polybutene	OSHA,	Select Carcinogen: No
			Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0068037-01-4	-01-4 1-Decene, homopolymer, hydrogenated		Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0068611-44-9	Silane treated silica	OSHA	Select Carcinogen: No
			Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

DNEL/PNEC values

No Data Available

8.2. Exposure controls

No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

Skin protection

Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other

ſ

Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

Respiratory protection

Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

Thermal hazards

No Data Available

SECTION 9: Physical and chemical properties

Appearance	BLUE BUTTERY GREASE
Odor	SLIGHT PETROLEUM
Odor threshold	Not Determined
рН	Not Measured
Melting point / freezing point (C)	Not Determined
Initial boiling point and boiling range (C)	> 300
Flash point (C)	> 200
Evaporation rate (H20 = 1)	Not Determined
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	
Lower Explosive Limit:	Not Determined
Upper Explosive Limit:	Not Determined
Vapor pressure (Pa)	-Not Determined
Vapor density	Heavier than air.
Relative density	1.0543
Solubility(ies)	negligible
Partition coefficient n-octanol/water (Log Kow)	Not Determined
Auto-ignition temperature (C)	Not Determined
Decomposition temperature	Not Determined
Viscosity (cSt)	
@ 100 C	Not Measured
@ 40 C	Not Measured
Pour point temperature (C)	Not Determined
Volatile Organic Compounds	nil
SADT	Not Determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available
10.2. Chemical stability
Material is normally stable at ambient temperature and pressure.
10.3. Possibility of hazardous reactions
May react with: oxidizing agents.
10.4. Conditions to avoid
High temperature, sparks, and open flames.
10.5. Incompatible materials
Keep away from strong oxidizing and reducing agents.
10.6. Hazardous decomposition products
Hazardous Decomposition Products: May form CO and CO2.

SECTION 11: Toxicological information

Acute toxicity

Ī

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eves may cause irritation and soreness with possible reversible damage.

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapor LD50, mg/L/4hr
1-Decene, homopolymer, hydrogenated - (0068037-01-4)	>5,000, Rat	>2,000, Rabbit	Not Available
Ethanol - (0000064-17-5)	1,501.00, Rat	Not Available	124.70, Rat
Polybutene - (0009003-29-6)	34,600.00, Rat	10,250.00, Rabbit	Not Available
Silane treated silica - (0068611-44-9)	Not Available	Not Available	Not Available

٦٢

٦r

٦

{

Classification	Category	Hazard Description
Acute toxicity (oral)	Not Classified	Not Applicable
Acute toxicity (dermal)	Not Classified	Not Applicable
Acute toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	Not Classified	Not Applicable
Serious eye damage/irritation	Not Classified	Not Applicable
Respiratory sensitization	Not Classified	Not Applicable
Skin sensitization	Not Classified	Not Applicable
Germ cell mutagenicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive toxicity	Not Classified	Not Applicable
STOT-single exposure	Not Classified	Not Applicable
STOT-repeated exposure	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

SECTION 12: Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
1-Decene, homopolymer, hydrogenated - (0068037-01-4)	Not Available	Not Available	Not Available
Silane treated silica - (0068611-44- 9)	10,000.00, Danio rerio	10,000.00, Daphnia magna	10,000.00 (72 hr), Scenedesmus subspicatus
Polybutene - (0009003-29-6)	Not Available	Not Available	Not Available
Ethanol - (0000064-17-5)	42.00, Oncorhynchus mykiss	2.00, Daphnia magna	17.921 (96 hr), Ulva pertusa

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14: Transport information

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es)		Not applicable Not regulated		
US DOT Labe	əl	Not regulated		
ADR/RID		Not regulated		
IMDG	Not regulated			
Sub Class N	ot applicable			
14.4. Packing group		Not applicable		
14.5. Environmental hazards				
ADR/RID	Environmentally Hazardous: No - Not regulated			
IMDG	DG Marine Pollutant: No - Not regulated			
14.6. Special precautions for user No further information				
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not Applicable				
The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions. Shipping description may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. For information specific				

SECTION 15: Regulatory information

National Legislation

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

to your situation, consult your company's Hazardous Materials/Dangerous Goods expert.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

Ł,

Not applicable SARA 311/312 (>0.1%):

Not applicable SARA 313 (>0.1%):

CERCLA (>0.1%):

Inventory - Canada - Non-**Domestic Substances List** (NDSL):

Octadecenamide, N-[2-[(2-hydroxyethyl)amino]ethyl]-, monoacetate (salt)

California Proposition 65 Cancer: Not applicable **California Proposition 65** Not applicable **Developmental:** California Proposition 65 Female Not applicable **Reproductive:** Not applicable California Proposition 65 Male **Reproductive:** Inventory - Australia - Inventory of Chemical Substances (AICS): 1-Decene, homopolymer, hydrogenated 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Ethanol Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-Phosphorothioic acid, O,O,O-triphenyl ester Polybutene Polyisobutylene Silane treated silica Inventory - Japan Existing and **New Chemical Substances** (ENCS): 1-Decene, homopolymer, hydrogenated () 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-díhydro-(5-425; 5-3496) Ethanol (2-202) Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-(2-1226; 2-2679; 9-1930) Phosphorothioic acid, O,O,O-triphenyl ester (3-3370) Polybutene (6-774)Polyisobutylene (5-774; 6-774) **Korean Existing Chemicals** Inventory: 1-Decene, homopolymer, hydrogenated 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-

Ethanol

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-Phosphorothioic acid, O,O,O-triphenyl ester Polybutene Polyisobutylene

Inventory of Existing Chemical Substances in China:

1-Decene, homopolymer, hydrogenated

Polybutene

Polyisobutylene

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

1-Decene, homopolymer, hydrogenated

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Ethanol

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-

Phosphorothioic acid, O,O,O-triphenyl ester

Polybutene

Polyisobutylene

Silane treated silica

Taiwan List of Toxic Chemical Substances regulated under **Toxic Chemical Substances Control Act:**

Not applicable

EU REACH: Annex XVII, **Dangerous Substances and Preparations:**

Inventory - European Union -European Inventory of Existing **Commercial Chemical** Substances (EINECS):



(202-414-9)

1-Decene, homopolymer, hydrogenated 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates

(279-632-6)Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (270 - 128 - 1)

Ethanol (200-578-6)

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-(203-749-3)

Phosphorothioic acid, O,O,O-triphenyl ester (209-909-9) Polybutene 0

Polyisobutylene ()

Silane treated silica (271-893-4) ł

EU List of Notified Chemical Substances (ELINCS):

Not applicable

Risk Phrases

Not Classified.

SECTION 16: Other information

This information has been compiled from sources considered to be dependable and is accurate to the best of Lubricating Specialties Company knowledge. Lubricating Specialties Company makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Lubricating Specialties Company assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor

End of document



χ.