



# Safety Data Sheet

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** 100% Acetone Nail Polish Remover  
**Item Number:** 03030,03065, 63087,20001,23087,03080,03058,140231,03202  
**Recommended Use:** Nail Polish Remover  
**Supplier Address:** Onyx Brands  
9600 Rowlett Drive  
North Little Rock, AR 72212  
**General Information Contact:** Phone: 501-753-7676 (M-F 8am-5pm CST)  
[Email: onyxlab@onyxlab.com](mailto:onyxlab@onyxlab.com)  
**In Case of Spill Emergency Contact:** Chemtrec: 1-800-424-9300 (24-Hour)

## 2. HAZARDS IDENTIFICATION FOR INDUSTRIAL SETTING

### WARNING!

### Emergency Overview

FLAMMABLE LIQUID AND VAPOR  
Irritating to eyes  
Vapors may be irritating to eyes, nose, throat, and lungs  
May cause central nervous system depression

**Appearance:** Clear, Colorless, Water-thin  
l i q u i d

**Physical State:** Water-thin liquid

**Odor:** Acetone

### Potential Health Effects

#### Primary Routes of Exposure

Skin contact. Inhalation.

#### Acute Toxicity

##### Eyes

Irritating to eyes.

##### Skin

May cause skin irritation and/or dermatitis.

##### Inhalation

May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

##### Ingestion

Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional effects as listed under "Inhalation". May cause adverse liver effects. May cause adverse kidney effects.

#### Chronic Effects

Prolonged skin contact may produce dermatitis.

#### Aggravated Medical Conditions

Central nervous system. Pre-existing eye disorders. Skin disorders. Respiratory disorders.

#### Interactions with Other Chemicals

None known.

#### Environmental Hazard

See Section 12 for additional Ecological Information.



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Acetone	67-64-1	50-100
Denatonium Benzoate	3734-33-6	0-10

### 4. FIRST AID MEASURES

<b>Eye Contact</b>	In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. If symptoms persist, call a physician.
<b>Skin Contact</b>	Wash skin with soap and water. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Ingestion</b>	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Consult a physician.
<b>Notes to Physician</b>	Treat symptomatically.
<b>Protection of First-aiders</b>	Remove all sources of ignition.

### 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Containers may explode when heated.
<b>Flash Point</b>	-20C / -4F
<b>Suitable Extinguishing Media</b>	Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO <sub>2</sub> . Water spray or alcohol-resistant foam.
<b>Uniform Fire Code</b>	• Irritant: Liquid $\frac{35}{17}$ Flammable Liquid: I-B
<b>Unsuitable Extinguishing Media</b>	CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. Do not use a solid water stream as it may scatter and spread fire.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	No.
<b>Specific Hazards Arising from the Chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.
<b>Sensitivity to Static Discharge</b>	Yes.
<b>Protective Equipment and Precautions for Firefighters</b>	Move containers from fire area if you can do it without risk. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**                      **Health Hazard 1**                      **Flammability 3**                      **Stability 0**                      **Physical and Chemical Hazards - None**

**6. ACCIDENTAL RELEASE MEASURES FOR INDUSTRIAL SETTING**

**Personal Precautions** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do it without risk. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

**Methods for Containment** A vapor suppressing foam may be used to reduce vapors.

**Methods for Cleaning Up** Damp up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labeled containers. Use clean non-sparking tools to collect absorbed material. Ground and bond containers when transferring material Use personal protective equipment.

**Other Information** Ventilate the area. Water spray may reduce vapor, but may not prevent ignition in closed spaces.

**7. HANDLING AND STORAGE FOR INDUSTRIAL SETTING**

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Wear personal protective equipment.

**Storage** Keep container tightly closed. Keep out of the reach of children. Keep away from heat.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION FOR INDUSTRIAL SETTING**

**Exposure Guidelines** There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL = 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) STEL: 1000 ppm (vacated) STEL: 2400 mg/m <sup>3</sup> (vacated)	IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Engineering Measures** Showers  
 Eyewash stations  
 Ventilation systems

**Personal Protective Equipment**

**Eye/Face Protection** Safety glasses with side-shields. Tightly fitting safety goggles. Face-shield.  
**Skin and Body Protection** Protective gloves.  
**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Clear, Colorless, Water-thin liquid	<b>Odor</b>	Acetone
<b>Odor Threshold</b>	No information available	<b>Physical State</b>	Water-thin liquid
<b>pH</b>	N/A	<b>Autoignition Temperature</b>	No information available
<b>Flash Point</b>	-4F / -20C	<b>Boiling Point/Range</b>	56°C / 133°F
<b>Decomposition Temperature</b>	No information available	<b>Explosion Limits</b>	No information available
<b>Melting Point/Range</b>	No information available	<b>Solubility</b>	No information available
<b>Flammability Limits in Air</b>	No information available	<b>Vapor Pressure</b>	No data available
<b>Water Solubility</b>	Miscible in water	<b>Partition Coefficient: n-octanol/water</b>	N/A
<b>Evaporation Rate</b>	No information available		
<b>Vapor Density</b>	No data available		

**10. STABILITY AND REACTIVITY FOR INDUSTRIAL SETTING**

Stability Stable under recommended storage conditions.

Incompatible Products None known. When used in accordance with the directions.

Conditions to Avoid Heat, flames and sparks.

Hazardous Decomposition Products Carbon oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

**11. TOXICOLOGICAL INFORMATION FOR INDUSTRIAL SETTING**

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

**Acute Toxicity**

Product Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	= 5800 mg/kg ( Rat )		= 50100 mg/m <sup>3</sup> ( Rat ) 8 h

**Chronic Toxicity**

Chronic Toxicity Prolonged skin contact may produce dermatitis.

Carcinogenicity N/A

Target Organ Effects Central nervous system (CNS). Eyes. Respiratory system. Skin.

**12. ECOLOGICAL INFORMATION FOR INDUSTRIAL SETTING**

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

**13. DISPOSAL CONSIDERATIONS FOR INDUSTRIAL SETTING**

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging Dispose of in accordance with local regulations.

US EPA Waste Number U002

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream: F039		U002

California Hazardous Waste Codes 212

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California EHW	California Carc	California Hazardous Waste	California Waste - Part 2
Acetone			Ignitable	Recyclable Hazardous Wastes

**14. TRANSPORT INFORMATION**

	Emergency Response Guide Number	127
<b>DOT</b>	Description	UN1090, ACETONE SOLUTION, 3, II
<b>TDG</b>	Description	UN1090, ACETONE SOLUTION, 3, II
<b>MEX</b>	Description	UN1090, ACETONE SOLUTION, 3, II
<b>ICAO</b>	Description	UN1090, ACETONE SOLUTION, 3, II
<b>IATA</b>	Description	UN1090, ACETONE SOLUTION, 3,



II IMDG/IMO  
 Description UN1090, ACETONE SOLUTION, 3, II, FP -20C

**15. REGULATORY INFORMATION FOR INDUSTRIAL SETTING**

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

**International Inventories**

TSCA Exempt  
 DSL Not determined

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**Clean Air Act Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following ingredients regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetone	67-64-1	50-100		Group I		

**CERCLA**

This material, as supplied, contains one or more ingredients regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetone	5000 lb	

**U.S. State Regulations**

**California Proposition 65 - None**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations For Industrial Setting**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetone	X	X	X		X

**International Regulations**

Mexico - Grade Serious risk, Grade 3

Chemical Name	Carcinogen Status	Exposure Limits
Acetone		Mexico: TWA= 1000 ppm Mexico: TWA= 2400 mg/m <sup>3</sup> Mexico: STEL= 1260 ppm Mexico: STEL= 3000 mg/m <sup>3</sup>

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B2  
D2B



**16. OTHER INFORMATION**

Prepared By Onyx Brands  
9600 Rowlett Drive  
North Little Rock, AR 72212  
501-753-7676

Issuing Date 02-26-18

Revision Date None

Revision Note None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Disclaimer:

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Onyx Brands, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Onyx Brands be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

**End of Safety Data Sheet**