

PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

REVISION DATE: 09/01/2016

SECTION 1 - PRODUCT IDENTIFICATION & MANUFACTURER INFORMATION

PRODUCT NAME...... 9200 PERMASET PART B (2A:1B)

PRODUCT CODE..... 9200002.

OTHER MEANS OF IDENTIFICATION: NONE ESTABLISHED

PRODUCT TYPE..... CURING AGENT

RECOMMENDED USES and/or USE RESTRICTIONS: INDUSTRIAL/PROFESSIONAL USE ONLY

COMPANY IDENTIFICATION:

PONDEROSA PAINT CO. dba SURFACE ENGINEERED TECHNOLOGIES

C/O SET MFG PLANT 5626 E. SHIELDS AVE. FRESNO, CA 93727

INFORMATION PHONE.....: 559 291-0664 EMERGENCY PHONE (CHEMTREC): 800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION

OSHA / HCS STATUS:

THIS MATERIAL IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

SERIOUS EYE DAMAGE/EYE IRRITATION (CATEGORY 1)
SKIN CORROSION/IRRITATION (CATEGORY 1B)
GERM CELL MUTAGENICITY (CATEGORY 2)
TOXIC TO REPRODUCTION (FERTILITY) (CATEGORY 2)
TOXIC TO REPRODUCTION (UNBORN CHILD) (CATEGORY 2)
ACUTE AQUATIC TOXICITY (CATEGORY 1)
CHRONIC AQUATIC TOXICITY (CATEGORY 1)
ACUTE ORAL TOXICITY (CATEGORY 4)

PERCENTAGE OF MIXTURE CONSISTING OF INGREDIENTS OF UNKNOWN TOXICITY:

3%

HAZARD PICTOGRAMS:

CORROSION (CORROSIVE)
EXCLAMATION MARK (IRRITANT)
HEALTH HAZARD (HEALTH HAZARD)
ENVIRONMENT (ENVIRONMENTALLY DAMAGING)

SIGNAL WORD..... DANGER!



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

HAZARDOUS STATEMENTS:

H302: HARMFUL IF SWALLOWED

H312: HARMFUL IN CONTACT WITH SKIN

H314: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE

H317: MAY CAUSE AN ALLERGIC SKIN REACTION

H330: FATAL IF INHALED

H335: MAY CAUSE RESPIRATORY IRRITATION

H361: SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD (STATE SPECIFIC EFFECT IF KNOWN) (STATE ROUTE OF EXPOSURE IF

IT IS CONCLUSIVELY PROVEN THAT NO OTHER ROUTES.

H410: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

GENERAL PRECAUTIONARY STATEMENTS:

PREVENTION:

P201: OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202: DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

P260: DO NOT BREATHE DUST/FUME/GAS/MIST/VAPOURS/SPRAY.

P264: WASH SKIN THOROUGHLY AFTER HANDLING.

P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.

P271: USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P273: AVOID RELEASE TO THE ENVIRONMENT.

P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.

RESPONSE:

P301 + P330 + P331: IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.

P303 + P361 + P353: IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING.

RINSE SKIN WITH WATER [OR SHOWER].

P304 + P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

P305 + P351 + P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P308 + P313: IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.

P310: IMMEDIATELY CALL A POISON CENTER/DOCTOR/...

P363: WASH CONTAMINATED CLOTHING BEFORE REUSE.

P391: COLLECT SPILLAGE.

STORAGE:

P403 + P233: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.

P405: STORE LOCKED UP.

DISPOSAL:

P501: DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

SUPPLEMENTAL LABEL ELEMENTS:

DANGER! CORROSIVE. VAPOR HARMFUL. CAUSES EYE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL IF SWALLOWED.

HAZARDS NOT OTHERWISE CLASSIFIED:

KEEP OUT OF REACH OF CHILDREN.

SECTION 3 - COMPOSITION & INFORMATION ON INGREDIENTS

SUBSTANCE / MIXTURE..... MIXTURE

Date Printed: 5/19/2020 7:15:22AM Page 2 of 10



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

OTHER MEANS OF IDENTIFICATION (COMPOSITION): NOT AVAILABLE

Component	CAS#	% by Wt.
POLYOXYPROPYLENEDIAMINE	9046-10-0	55.4
PHENOL, 4-NONYL- BRANCHED	84852-15-3	40.8
DIETHYLENETRIAMINE	111-40-0	1.2
4,4'-ISOPROPYLIDENEDIPHENOL	80-05-7	. 7

THERE ARE NO ADDITIONAL INGREDIENTS PRESENT WHICH, WITHIN THE CURRENT KNOWLEDGE OF THE SUPPLIER AND IN THE CONCENTRATIONS APPLICABLE, ARE CLASSIFIED AS HAZARDOUS TO HEALTH OR THE ENVIRONMENT AND HENCE REQUIRE REPORTING IN THIS SECTION.

SECTION 4 - FIRST AID MEASURES

EYE CONTACT:

BATHE THE EYE WITH RUNNING WATER FOR AT LEAST 15 MINUTES, LIFTING UPPER AND LOWER EYELIDS. GET MEDICAL ATTENTION IMMEDIATELY.

INHALATION:

MOVE PERSON TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING; IF BREATHING IS IRREGULAR, PROVIDE ARTIFICIAL RESPIRATION; IF THERE ARE BREATHING DIFFICULTIES, ADMINISTER OXYGEN; GET MEDICAL ATTENTION IMMEDIATELY.

SKIN CONTACT:

DRENCH THE AFFECTED AREA IMMEDIATELY WITH PLENTY OF WATER; REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION, RASH OR OTHER ADVERSE EFFECTS OCCUR.

INGESTION:

IF SWALLOWED, DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. OBTAIN MEDICAL ATTENTION.

POTENTIAL HEALTH EFFECTS:

CAUSES SERIOUS EYE DAMAGE. MAY GIVE OFF GAS, VAPOR OR DUST THAT IS VERY IRRITATING OR CORROSIVE TO THE RESPIRATORY SYSTEM. EXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SERIOUS EFFECTS MAY BE DELAYED FOLLOWING EXPOSURE. CAUSES SEVERE BURNS. MAY CAUSE BURNS TO MOUTH THROAT AND STOMACH.

OVER-EXPOSURE SIGNS / SYMPTOMS:

ADVERSE SYMPTOMS TO EYE CONTACT MAY INCLUDE PAIN, WATERING AND REDNESS. ADVERSE SKIN CONTACT MAY INCLUDE PAIN OR IRRITATION, REDNESS, AND BLISTERING MAY OCCUR. IF INGESTED ADVERSE SYMPTOMS MAY INCLUDE STOMACH PAINS.

NOTE TO PHYSICIAN:

TREAT SYMPTOMATICALLY. FOLLOWING SEVERE EXPOSURE MEDICAL FOLLOW-UP SHOULD BE MONITORED FOR AT LEAST 48 HOURS.



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

SECTION 5 - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

USE AN EXTINGUISHING AGENT SUITABLE FOR THE SURROUNDING FIRE.

UNSUITABLE EXTINGUISHING MEDIA:

NONE KNOWN.

HAZARDOUS COMBUSTION PRODUCTS:

CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN, AND OTHER UNDETERMINED COMPOUNDS.

OTHER CONSIDERATIONS:

IN A FIRE OR IF HEATED, A PRESSURE INCREASE WILL OCCUR AND THE CONTAINER MAY BURST. THIS MATERIAL IS TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. FIRE WATER CONTAMINATED WITH THIS MATERIAL MUST BE CONTAINED AND PREVENTED FROM BEING DISCHARGED TO ANY WATERWAY, SEWER, OR DRAIN.

FIRE FIGHTING PROCEDURES:

PROMPTLY ISOLATE THE SCENE BY REMOVING ALL PERSONS FROM THE VICINITY OF THE INCIDENT IF THERE IS A FIRE. NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING.

FIRE FIGHTING EQUIPMENT:

SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING MUST BE WORN IN CASE OF FIRE. TOXIC GASES/FUMES MAY BE GIVEN OFF DURING BURNING OR THERMAL DECOMPOSITION.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTION:

NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING. EVACUATE SURROUNDING AREAS. KEEP UNNECESSARY AND UNPROTECTED PERSONNEL FROM ENTERING. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. PROVIDE ADEQUATE VENTILATION. WEAR APPROPRIATE RESPIRATOR WHEN VENTILATION IS INADEQUATE. PUT ON APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. (SEE SECTION 8)

ENVIRONMENTAL PRECAUTIONS:

AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. INFORM THE RELEVANT AUTHORITIES IF THE PRODUCT HAS CAUSED ENVIRONMENTAL POLLUTION (SEWERS, WATERWAYS, SOIL OR AIR).

METHODS FOR CONTAINMENT & CLEAN-UP:

STOP LEAK WITHOUT RISK. MOVE CONTAINERS FROM THE SPILL AREA. APPROACH RELEASE FROM UPWIND. PREVENT ENTRY INTO SEWERS, WATER COURSES, BASEMENTS OR CONFINED AREAS. CONTAIN AND COLLECT SPILLAGE WITH NON-COMBUSTIBLE, ABSORBENT MATERIAL (SAND, EARTH, VERMICULITE OR DIATOMACEOUS EARTH) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS. DISPOSE OF VIA LICENSED WASTE DISPOSAL CONTRACTOR. CONTAMINATED ABSORBENT MATERIAL MAY POSE THE SAME HAZARD AS THE SPILLED PRODUCT.

SECTION 7 - HANDLING & STORAGE



9046-10-0

55 4

PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

PROTECTIVE MEASURES FOR HANDLING:

PUT ON APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. AVOID EXPOSURE-OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. AVOID EXPOSURE DURING PREGNANCY. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. DO NOT GET IN EYES OR ON SKIN OR CLOTHING. DO NOT BREATHE VAPOR OR MIST. DO NOT INGEST. AVOID RELEASE TO THE ENVIRONMENT. IF DURING NORMAL USE THE MATERIAL PRESENTS A RESPIRATORY HAZARD, USE ONLY WITH ADEQUATE VENTILATION OR WEAR APPROPRIATE RESPIRATOR.

ADVICE ON GENERAL OCCUPATIONAL HYGIENE:

WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. USE GENERAL INDUSTRIAL HYGIENE PRACTICE. WASH HANDS AFTER HANDLING PAINT/COATING AND BEFORE EATING, DRINKING OR SMOKING. READ AND UNDERSTAND ENTIRE SDS BEFORE HANDLING PRODUCT.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES):

STORE IN ACCORDANCE WITH LOCAL REGULATIONS. STORE IN ORIGINAL CONTAINER PROTECTED FROM DIRECT SUNLIGHT IN A DRY, COOL AND WELL VENTILATED AREA, AWAY FROM INCOMPATIBLE MATERIALS (SEE SECTION 10) AND FOOD AND DRINK. STORE LOCKED UP. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. DO NOT STORE IN UNLABELED CONTAINERS. USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION.

SECTION 8 - EXPOSURE CONTROLS & PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:

DOT VOVVDDODVI ENEDTAMINE

IODIOXIINOIIDENEDIAMINE	7040 10 0	JJ.4
ACGIH/TLV : N/E		
OSHA/PEL : N/E		
PHENOL, 4-NONYL- BRANCHED	84852-15-3	40.8
ABSORBED THROUGH SKIN		
ACGIH/TLV: 19 mg/m3 8 hrs TWA		
OSHA/PEL : 19 mg/m3 8 hrs TWA		
DIETHYLENETRIAMINE	111-40-0	1.2
ACGIH/TLV : 4.3 mg/m3 TWA		
OSHA/PEL : N/E		
4,4'-ISOPROPYLIDENEDIPHENOL	80-05-7	.7
ACGIH/TLV : N/F		

ENGINEERING CONTROLS:

IF USER OPERATIONS GENERATE DUST, FUMES, GAS VAPOR OR MIST, USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION OR OTHER ENGINEERING CONTROLS TO KEEP WORKER EXPOSURE TO AIRBORNE CONTAMINANTS BELOW ANY RECOMMENDED OR STATUTORY LIMITS.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION:

OSHA/PEL : N/E

IF YOU EXPERIENCE EYE WATERING, HEADACHE OR DIZZINESS OR IF AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS ARE ABOVE APPLICABLE LIMITS, WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH APPROVED) DURING AND AFTER APPLICATION. FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE.



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

SKIN & BODY PROTECTION:

IMPERVIOUS CHEMICAL RESISTANT GLOVES. LONG SLEEVED CLOTHING OR PROTECTIVE SLEEVES. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE.

EYE & FACE PROTECTION:

SPLASH PROOF CHEMICAL RESISTANT SAFETY GLASSES. WEAR IN COMBINATION WITH A FULL FACE SHIELD IF A SPLASH HAZARD EXISTS.

WORK HYGIENIC PRACTICES:

WASH HANDS, FOREARMS AND FACE THOROUGHLY AFTER HANDLING CHEMICAL PRODUCTS, BEFORE EATING AND DRINKING, SMOKING OR USING THE LAVATORY AND AT THE END OF THE WORKING PERIOD. CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED WORN OUT OF THE WORKPLACE. WASH CONTAMINATED CLOTHING BEFORE REUSING. ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE CLOSE TO THE WORKSTATION LOCATION.

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

PHYSICAL STATE:

APPEARANCE LIQUID
COLOR CLEAR TO SLIGHTLY YELLOW
ODOR PHENOLIC
ODOR THRESHOLD NOT AVAILABLE
pH NOT APPLICABLE
MELTING POINT NOT AVAILABLE
FREEZING POINT NOT AVAILABLE
INITIAL BOILING POINT: >392°F
FLASH POINT 251°F
EVAPORATION RATE NOT AVAILABLE
EXPLOSION LIMITS:
LOWER & UPPER EXPLOSIVE LIMIT NOT AVAILABLE
VAPOR PRESSURE NOT AVAILABLE
VAPOR DENSITY (Air = 1): NOT AVAILABLE
SPECIFIC GRAVITY (g/cc)95
DENSITY (lb/gal) 7.94 lb/gl
SOLUBILITY IN WATER NOT AVAILABLE
PARTITION COEFFICIENT NOT AVAILABLE
(n-Octanol / Water)
VISCOSITY 160 - 560 cps.
AUTO-IGNITION TEMPERATURE: NOT AVAILABLE
DECOMPOSITION TEMPERATURE: NOT AVAILABLE
ACTUAL V.O.C 0.099 lb/gl
(Metric) 12 g/l
REGULATORY V.O.C 0.099 lb/gl
(Metric) 12 g/l

Date Printed: 5/19/2020 7:15:22AM



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

OTHER PHYSICAL PROPERTIES....: NOT AVAILABLE

SECTION 10 - STABILITY & REACTIVITY

CHEMICAL STABILITY....:

STABLE UNDER NORMAL CONDITIONS

POSSIBLE HAZARDOUS REACTIONS.:

UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS REACTIONS WILL NOT OCCUR.

CONDITIONS TO AVOID:

NONE KNOWN

INCOMPATIBLE MATERIALS....:

NONE KNOWN

HAZARDOUS DECOMPOSITION....:

UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE PRODUCED.

SECTION 11 - TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY:

THE ACUTE EFFECTS OF THIS PRODUCT AS A WHOLE HAVE NOT BEEN TESTED. DATA ON INDIVIDUAL COMPONENTS ARE BELOW:

POLYOXYPROPYLENEDIAMINE (9046-10-0)

LD50 ORAL RAT 1,100 mg/kg

LC50 INHALATION RAT NO DATA

LD50 DERMAL RABBIT 1,550 mg/kg

PHENOL, 4-NONYL- BRANCHED (8452-15-3)

LD50 ORAL RAT 1,604 mg/kg

LC50 INHALATION : NO DATA AVAILABLE

LD50 DERMAL RAT 2,031 mg/kg

DIETHYLENETRIAMAINE (111-40-0)

LD50 ORAL RAT >2,000 mg/kg

LC50 INHALATION RAT > 0.07 - < 0.3 mg/l (4 hr.)

LD50 DERMAL RABBIT >2,000 mg/kg

CARCINOGENICITY:

NO SUSPECTED CARCINOGENS PRESENT AT >0.1%

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVEL GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVEL GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY TARC

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVEL GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY NTP.

EFFECTS OF ACUTE EXPOSURE FROM EYE CONTACT:

THIS PRODUCT HAS NOT BEEN TESTED.

EFFECTS OF ACUTE EXPOSURE FROM SKIN CONTACT:

THIS PRODUCT HAS NOT BEEN TESTED.

EFFECTS OF ACUTE EXPOSURE FROM INGESTION:

THIS PRODUCT HAS NOT BEEN TESTED.

EFFECTS OF ACUTE EXPOSURE FROM INHALATION:

THIS PRODUCT HAS NOT BEEN TESTED.

EFFECTS OF CHRONIC EXPOSURE:

THIS PRODUCT HAS NOT BEEN TESTED.

PRIMARY ROUTE(S) OF ENTRY:

EYE CONTACT, SKIN CONTACT, INGESTION, INHALATION

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL TOXICITY:

ECOLOGICAL EVALUATION OF THIS MATERIAL HAS NOT BEEN PERFORMED; HOWEVER, DO NOT ALLOW THE PRODUCT TO BE RELEASED TO THE ENVIRONMENT WITHOUT GOVERNMENTAL APPROVAL/PERMITS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

THE GENERATION OF WASTE SHOULD BE AVOIDED OR MINIMIZED WHENEVER POSSIBLE. DISPOSAL OF THIS PRODUCT SHOULD ALWAYS COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. DISPOSE OF SURPLUS AND NON-RECYCLABLE PRODUCTS VIA A LICENSED WASTE DISPOSAL CONTRACTOR. THE MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY. CARE SHOULD BE TAKEN WHEN HANDLING EMPTIED CONTAINERS THAT HAVE NOT BEEN CLEANED OR RINSED OUT. EMPTY CONTAINERS MAY RETAIN SOME PRODUCT RESIDUES. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS, AND SEWERS.

SECTION 14 - TRANSPORTATION INFORMATION

TRANSPORTATION INFORMATION DISCLAIMER:

DETERMINATION OF PROPER SHIPPING IDENTIFICATION IS DEPENDENT UPON THE FORM, QUANTITY AND PACKAGING. THE PERSON OFFERING A HAZARDOUS MATERIAL FOR TRANSPORT HAS THE SOLE RESPONSIBILITY TO PROPERLY PREPARE THE SHIPPING PAPER AND PACKAGING FOR TRANSPORT. PEOPLE LOADING AND UNLOADING MUST BE TRAINED ON ALL OF THE RISKS DERIVING FROM HANDLING THIS PRODUCT.



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS :

CLEAN AIR ACT SECTION 112(b) HAZARDOUS AIR POLLUTANTS (HAP's):

NO COMPONENTS PRESENT AT LEVELS HIGHER THAN 1% LISTED ON HAPS LIST OF CHEMICALS

CERCLA: SARA Hazard Category:

THIS PRODUCT HAS BEEN REVIEWED ACCORDING TO THE EPA "HAZARD CATEGORIES" PROMULGATED UNDER SECTION 311 AND 312 OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 (SARA TITLE III) AND IS CONSIDERED, UNDER APPLICABLE DEFINITIONS, TO MEET THE FOLLOWING CATEGORIES: ACUTE HEALTH HAZARD. CHRONIC HEALTH HAZARD.

EPA SECTION 313:

THIS MATERIAL CONTAINS A CHEMICAL(S) COMPONENT(S) WITH KNOWN CAS NUMBERS AT REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

84852-15-3 PHENOL, 4-NONYL- BRANCHED

US STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

SECTION 16 - OTHER INFORMATION

HMIS RATINGS:

ABBREVIATIONS & ACRONYMS:

ACA - AMERICAN COATINGS ASSOCIATION

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

ATE - ACUTE TOXICITY ESTIMATE

BCF - BIOCONCENTRATION FACTOR

CAS - CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

LP - REGULATION (EC) NO 1272/2008 ON CLASSIFICATION, LABELING AND PACKAGING OF SUBSTANCES AND MIXTURES

DOT - US DEPARTMENT OF TRANSPORTATION

EC - EUROPEAN COMMUNITY

EEC - EUROPEAN ECONOMIC COMMUNITY

EINECS- EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

EN - EUROPEAN STANDARD

EPA - ENVIRONMENTAL PROTECTION AGENCY (USA)

EU - EUROPEAN UNION

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING OF CHEMICALS

HMIS - HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

HSDB - HAZARDOUS SUBSTANCES DATA BANK

IARC - INTERNATIONAL ASSOCIATION OF RADIO CARDIOLOGISTS

IATA - INTERNATIONAL AIR TRANSPORT ASSOCIATION



PRODUCT NAME: 9200 PERMASET PART B (2A:1B)

PRODUCT CODE: 9200002.

TBC - INTERMEDIATE BULK CONTAINER

ICAO - INTERNATIONAL CIVIL AVIATION ORGANIZATION

IMDG - INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

LC - LETHAL CONCENTRATION

LD - LETHAL DOSE LOLI - LIST OF LISTS NA - NOT APPLICABLE

ND - NO DATA OR INFORMATION AVAILABLE

NE - NOT ESTABLISHED

NFPA - NATIONAL FIRE PROTECTION ASSOCIATION (USA)

NTP - NATIONAL TOXICOLOGY PROGRAM (USA)

OECD - ORGANIZATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT

OEL - OCCUPATIONAL EXPOSURE LIMITS

OSHA - OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION (USA)

RID - REGULATIONS CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL

RTECS - REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES

RTK - RIGHT-TO-KNOW LAWS SDS - SAFETY DATA SHEET

STEL - SHORT-TERM EXPOSURE LIMIT
TWA - TIME WEIGHTED AVERAGE

UN - UNITED NATIONS

WEL - WORKPLACE EXPOSURE LIMIT

MANUFACTURER DISCLAIMER:

THE INFORMATION PROVIDED HEREIN WAS BELIEVED BY PONDEROSA PAINT CO., INC. ("PPC") TO BE ACCURATE AT THE TIME OF PREPARATION FROM SOURCES BELIEVED TO BE RELIABLE, BUT IT IS THE RESPONSIBILITY OF THE USER TO INVESTIGATE AND UNDERSTAND OTHER PERTINENT SOURCES OF INFORMATION, TO COMPLY WITH ALL LAWS AND PROCEDURES APPLICABLE TO THE SAFE HANDLING AND USE OF THE PRODUCT AND TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR IT'S INTENDED USE. ALL PRODUCTS SUPPLIED BY PPC ARE SUBJECT TO PPC'S TERMS AND CONDITIONS OF SALE. PPC MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY PPC, EXCEPT THAT THE PRODUCT SHALL CONFORM TO PPC'S SPECIFICATIONS. NOTHING CONTAINED HEREIN CONSTITUTES AN OFFER FOR THE SALE OF ANY PRODUCT.