SAFETY DATA SHEET

Honeywell



Product identifier

Uvex Clear Solution

Other means of identification

Product code

\$461, \$463, \$464, \$467

Recommended use

Lens cleaning solution.

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information Company name:

Honeywell Safety Products USA, Inc. 10 Thurber Blvd, Smithfield, RI 02917

Address:

+1-800-873-5242

Telephone: **Contact Person**

hsptechsupport@honeywell.com

E-mail:

msds@chemtrec.com

Emergency telephone

+1-703-741-5500 for USA/Canada

number:

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

The mixture does not meet the criteria for classification.

Precautionary statement

Prevention

Observe good industrial hygiene practices.

Response

Wash hands after handling.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
2-Butoxyethanol	111-76-2	<6
Sodium Lauryl Ether Sulfate	68585-34-2	<2

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact

Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Remove contact lenses. Get medical attention promptly if symptoms occur after flushing.

Ingestion

Seek medical advice.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

No specific symptoms noted.

Treat symptomatically.

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

General fire hazards

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

No restrictions known.

None

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Self-contained breathing apparatus operated in positive pressure mode and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For industrial use, wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Stop leak if you can do so safely. Absorb spill with appropriate sand, clay or other inert sorbent material, then place in appropriate waste container.

Large Spills: Flush area with water. Treat runoff per applicable environmental regulations pertaining to drains, water courses and ground water, diking if required.

Environmental precautions

Treat discharge into drains, water courses or onto the ground according to applicable regulations.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Avoid inhalation of vapors and contact with skin and

Conditions for safe storage, including any incompatibilities Keep container closed. Store away from incompatible materials. Do not allow material to freeze. Keep at temperature not exceeding 43°C / 110°F.

5 ppm

8. Exposure controls/personal protection

Occupational exposure limits

C-----

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit Value	les		
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Type	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m3	

Uvex Clear Solution

SDS US

916580 Version #: 01 Revision date: - Issue date: 06-July-2015

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*	

* - For sampling details, please see the source document.

Exposure guidelines

No exposure standards allocated.

US - California OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2-Butoxyethanol (CAS 111-76-2)

Skin designation applies.

US - Tennessee OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

Always observe good personal hygiene measures, such as washing after handling the material

Appropriate engineering

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

None under normal conditions.

Skin protection

Hand protection

Chemical resistant gloves are recommended.

Other

None under normal working conditions.

Respiratory protection

Not normally needed.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene

and before eating, drinking, and/or smoking. considerations

9. Physical and chemical properties

Appearance

Clear tinted liquid.

Physical state

Liquid.

Form

Liquid.

Color

Clear tinted.

Odor

Slight odor.

Odor threshold

Not available.

pН

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

212 °F (100 °C)

range

Flash point

> 212.0 °F (> 100.0 °C)

Evaporation rate

< 1 (Butyl acetate=1)

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

22 mm Hg (20°C/68°F)

Vapor density

Not available.

Relative density

0.98

Solubility(ies)

Solubility (water)

Completely soluble in water.

Partition coefficient (n-octanoi/water)

Not available.

Auto-ignition temperature **Decomposition temperature** Not available. Not available.

Viscosity

Not available.

10. Stability and reactivity

Reactivity

Stable at normal conditions.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Freezing. Elevated temperatures. Strong oxidizers, strong acids, and strong bases.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact

Prolonged or repeated contact may dry skin and cause irritation.

Eye contact

May cause temporary eye irritation.

Indestion

No harmful effects expected in amounts likely to be ingested by accident.

Symptoms related to the physical, chemical and toxicological characteristics May cause discomfort if swallowed.

Information on toxicological effects

Acute toxicity

Not expected to be acutely toxic.

Skin corrosion/irritation

Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/eye

irritation

May cause temporary eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not classified.

Skin sensitization

Not a skin sensitizer.

Germ cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Not classified.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

Not classified.

Further information

No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Uvex Clear Solution SDS US 916580 Version #: 01 Revision date: -Issue date: 06-July-2015 4/6 Persistence and degradability

No data available.

Bioaccumulative potential

The product is not expected to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

2-Butoxyethanol (CAS 111-76-2)

0.83

Mobility in soil

The product is completely soluble in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or

ground

Hazardous waste code

Waste codes should be assigned by the user based on the application for which the product was

used.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations

This product is not hazardous according to OSHA 29CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Butoxyethanol (CAS 111-76-2)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name

CAS number

% by wt.

2-Butoxyethanol

111-76-2

<6

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Uvex Clear Solution
916580 Version #: 01 Revision date: - Issue date: 06-July-2015

SDS US

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Inventory name

2-Butoxyethanol (CAS 111-76-2)

US. Rhode Island RTK

2-Butoxyethanol (CAS 111-76-2)

US. California Proposition 65

Not Listed.

Country(s) or region

International inventories

oduliti j(a) or region	inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

06-July-2015

Revision date Version #

-01

Further information

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

NFPA ratings



List of abbreviations

References

ACGIH

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard

workers and the environment.

Uvex Clear Solution
916580 Version #: 01 Revision date: - Issue date: 06-July-2015

SDS US

On inventory (veelno)

6/6

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).