

# Safety Data Sheet

## SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : SULFURIC ACID 66Be°

#### Recommended use of the chemical and restrictions on use

**Recommended use** : Acid.  
Fertilizers.  
Water treatment chemical

#### Manufacturer or supplier's details

**Company** : Univar Solutions USA  
**Address** : 3075 Highland Pkwy Suite 200  
Downers Grove, IL 60515  
United States of America (USA)

#### Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** : Responsible Party: Product Compliance Department  
E-mail: SDSNA@univarsolutions.com  
SDS Requests: 1-855-429-2661  
Website: www.univarsolutions.com

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

**Corrosive to metals** : Category 1  
**Skin corrosion** : Category 1A  
**Serious eye damage** : Category 1  
**Carcinogenicity** : Category 1A  
**Specific target organ toxicity - single exposure** : Category 3 (Respiratory system)

#### GHS label elements

**Hazard pictograms** :



**Signal word** : Danger

**Hazard statements** : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
H350 May cause cancer.

**Precautionary statements** : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

**Safety Data Sheet**  
**SULFURIC ACID 66Be°**

Version 1.8

Revision Date: 08/23/2024

P234 Keep only in original container.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P406 Store in corrosive resistant container with a resistant inner liner.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

CAS-No.	Chemical name	Weight percent
7664-93-9	Sulfuric acid	90 - 100

Any Concentration shown as a range is due to batch variation.

**Molecular formula** : H<sub>2</sub>-O<sub>4</sub>-S  
**Synonyms** : NC SULFURIC ACID 66Be,

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Take victim immediately to hospital.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Carbon dioxide (CO <sub>2</sub> )
Unsuitable extinguishing media	: High volume water jet Water
Hazardous combustion products	: sulfur oxides Gases hazardous to health may be formed. Sulphuric acid
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7664-93-9	Sulfuric acid	TWA (Thoracic particulate matter)	0.2 mg/m <sup>3</sup>	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		TWA	1 mg/m <sup>3</sup>	OSHA Z-1
		TWA	1 mg/m <sup>3</sup>	OSHA P0
		PEL	0.1 mg/m <sup>3</sup>	CAL PEL
		STEL	3 mg/m <sup>3</sup>	CAL PEL

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection

Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	Clear, colorless, amber
Odour	:	pungent
Odour Threshold	:	No data available
pH	:	0.3 @ 25 °C (77 °F)
Freezing Point (Melting point/range)	:	-31 - 10.56 °C (-24 - 51.01 °F)
Boiling Point (Boiling point/boiling range)	:	217 - 330 °C (423 - 626 °F)
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	< 0.3 mmHg @ 25 °C (77 °F)
Relative vapour density	:	3.4 @ 20 °C (68 °F) (Air = 1.0)
Relative density	:	1.8347 - 1.8437 @ 25 °C (77 °F) Reference substance: (water = 1)
Density	:	Estimated 1.837 g/cm <sup>3</sup> @ 20 °C (68 °F)
Solubility(ies)	:	
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

Auto-ignition temperature : No data available  
Thermal decomposition : 340 °C

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Acid reacts with most metals to release hydrogen gas which can form explosive mixtures with air.  
Reacts with organic materials and may cause ignition of finely divided materials on contact.

Conditions to avoid : Avoid contact with combustible material (paper, wool, oil).  
Incompatible materials : acetylenes  
Acids  
Ammonia  
Combustible material  
Flammable materials  
Metals  
nitrates  
Nitriles  
nitrites  
Organic materials  
Oxidizing agents  
phosphorus  
Powdered metals  
Reducing agents  
water  
Peroxides

Hazardous decomposition products : corrosive vapors  
Sulphur oxides  
toxic fumes

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

##### Components:

##### **7664-93-9:**

Acute oral toxicity : LC50 (Rat, male and female): 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): mg/m3 375  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

**Safety Data Sheet**  
**SULFURIC ACID 66Be°**

Version 1.8

Revision Date: 08/23/2024

**Skin corrosion/irritation****Product:**

Remarks: Extremely corrosive and destructive to tissue.

**Components:****7664-93-9:**

Species: Rabbit

Result: Causes severe burns.

**Serious eye damage/eye irritation****Product:**

Remarks: May cause irreversible eye damage.

**Components:****7664-93-9:**

Remarks: No data available

**Respiratory or skin sensitisation****Components:****7664-93-9:**

Remarks: No data available

**Germ cell mutagenicity****Components:****7664-93-9:**

Genotoxicity in vitro : Test Type: Ames test  
Species: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

**Carcinogenicity****Product:**

Carcinogenicity - Assessment : Human carcinogen.

**Components:****7664-93-9:**

Species: Mouse, (male and female)

Application Route: Oral

Exposure time: lifetime

Dose: 0.2 mL of 0.2% aq solution

Frequency of Treatment: 1 days/week

Symptoms: Local irritation, Tumors

**Safety Data Sheet**  
**SULFURIC ACID 66Be°**

Version 1.8

Revision Date: 08/23/2024

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen	
<b>IARC</b>	Group 1: Carcinogenic to humans	
	7664-93-9	Sulfuric acid
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
<b>NTP</b>	Known to be human carcinogen	
	7664-93-9	Sulfuric acid

**Reproductive toxicity****Components:****7664-93-9:**

Reproductive toxicity - Assessment	Fertility classification not possible from current data.
------------------------------------	--

Teratogenicity - Assessment	: Did not show teratogenic effects in animal experiments.
-----------------------------	---

**STOT - single exposure****Product:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**Further information****Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available



## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

#### DOT (Department of Transportation):

UN1830, SULFURIC ACID, 8, II

#### IATA (International Air Transport Association):

UN1830, SULPHURIC ACID, 8, II

#### IMDG (International Maritime Dangerous Goods):

UN1830, SULPHURIC ACID, 8, II

## SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : D2A: Very Toxic Material Causing Other Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects  
E: Corrosive Material

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric acid	7664-93-9	1000	1000

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric acid	7664-93-9	1000	1000

**SARA 311/312 Hazards** : Corrosive to metals  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** :

7664-93-9 Sulfuric acid

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

7664-93-9 Sulfuric acid

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

7664-93-9 Sulfuric acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

7664-93-9 Sulfuric acid

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### Massachusetts Right To Know


7664-93-9 Sulfuric acid

#### Pennsylvania Right To Know

7664-93-9 Sulfuric acid

7732-18-5 Water

#### California Prop 65

 **WARNING:** This product can expose you to chemicals including Sulfuric acid, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

## Safety Data Sheet

### SULFURIC ACID 66Be°


Version 1.8

Revision Date: 08/23/2024

ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	3/
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

**Revision Date** : 08/23/2024

**Legacy SDS:** : R0001174

### Material number:

16186267, 16174712, 16175807, 16178772, 16181534, 16174800, 16177108, 16175890, 16175344, 16175320, 16174913, 16174890, 16174602, 16168596, 16168315, 55254, 104393,

## Safety Data Sheet

### SULFURIC ACID 66Be°

Version 1.8

Revision Date: 08/23/2024

153270, 136507, 170942, 20261, 747387, 746673, 572695, 549278, 554154, 105608, 55212, 74712, 55684, 56633, 72048, 152711, 88318, 89725, 87701, 592090, 52439, 89466, 107474, 56705, 88445, 108413, 106107

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		