

# **Safety Data Sheet**

**BCS 3024CF** 

# 1. IDENTIFICATION

**Product Identifier** 

Product Name BCS 3024CF

Other means of identification

SDS# BCS-001

UN/ID No UN3265

Synonyms Mixed Isothiazolins

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

**Details of the supplier of the SDS** 

**Supplier Address** 

Bulk Chemical Services, LLC 726 Industrial Drive Sandersville, GA 31082

**Emergency Telephone Number** 

Company Phone Number (404) 350-8404

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3

# **Signal Word**

Danger

# **Hazard Statements**

May cause cancer

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness.







**Appearance** 

Colorless to yellow liquid

Physical State Liquid

**Odor** Pungent

#### **Precautionary Statements – Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

# <u>Precautionary Statements - Response</u>

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse

If skin irritation or rash occurs: get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Call a poison center or doctor/physician if you feel unwell

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

### Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

# Other hazards

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Synonyms**

Mixed isothiazolins.

Components	CAS No.	Weight %
Water	7732-18-5	95.0 – 96.0
Magnesium Nitrate	10377-60-3	1.4 – 2.0
Methylchloroisothiazolinone	26172-55-4	1.1 – 1.35
Magnesium Chloride	7786-30-3	1.0 – 1.2
Methylisothiazolinone	2682-20-4	0.35 - 0.45

# 4. FIRST AID MEASURES

# First Aid Measures Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact IF ON SKIN (or hair): remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: get medical

advice/attention.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or

doctor/physician.

**Ingestion** Rinse mouth. Do not induce vomiting. Slowly provide victim with

copious amounts of water. Do not give fluids by mouth if victim is semicomatose, comatose, or convulsing. Seek immediate medical

attention/advice.

Most important symptoms and effects

**Symptoms** 

Causes severe skin burns and eye damage. May cause sensitization by skin contact. May cause an allergic skin reaction. May cause

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Material is corrosive. Possible mucosal damage

may contraindicate the use of gastric lavage. Measures against

circulatory shock and convulsions may be necessary.

respiratory irritation. May cause drowsiness or dizziness.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific hazards arising from the chemical

Material is corrosive.

Hazardous Combustion Products Toxic fumes of hydrogen chloride, nitrogen oxides, and sulfur oxides

will be generated by combustion.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Do not allow material to contaminate ground water system. Prevent

product from entering drains. See Section 12 for additional ecological

Information.

Methods and material for containment and cleaning up

Methods for Containment WARNING: KEEP SPILLS AND CLEAN-UP RESIDUALS OUT OF

MUNICIPAL SEWERS AND OPEN BODIES OF WATER. Prevent

further leakage or spillage if safe to do so.

Methods for Cleaning Up Absorb the spill with spill pillows or inert solids such as clay or

vermiculite, and transfer contaminated material to suitable containers for disposal. Deactivate spill area with freshly prepared solution of 5%

sodium bicarbonate and 5% sodium hypochlorite in water. Apply solution to the spill area at a ratio of 10 volumes of deactivation solution per estimated volume of residual spill to deactivate any residual active ingredient. Let stand for 30 minutes. Flush the spill area with copious amounts of water to chemical sewer (if in accordance with local procedures, permits, and regulations). DO NOT add deactivation solution to the waste pail to deactivate the absorbed material. See Section 13 "Disposal Considerations", for information regarding the disposal of contained materials.

# 7. HANDLING AND STORAGE

# <u>Precautions for safe handling</u> Advice on Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Use personal protection recommended in Section 8. Keep away from food, drink, and animal feeding stuffs. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed and store in a dry, cool, and well-ventilated place. Store locked up. The product as supplied may evolve gas (largely carbon dioxide) slowly. To prevent the buildup of pressure the product is packaged in specially vented containers, where necessary. Keep this product in the original container when not in use. Storage temperature  $\geq 1^{\circ}\text{C}$  ( $\geq 34^{\circ}\text{F}$ ).

Storage temperature 55°C (131°F). Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted. Do not store this material in containers made of steel. Do not store this material near food, feed, or drinking water.

**Packaging Materials** 

CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since empty containers retain product residue, follow all SDS and label warnings even after container is emptied. Expiration date based only on retention of >95% actives during storage at  $20^{\circ}\text{C} - 25^{\circ}\text{C}$  ( $69^{\circ}\text{F} - 77^{\circ}\text{F}$ ).

**Incompatible Materials** 

Strong oxidizing agents. Reducing agents. Amines. Mercaptans.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

No exposure limits noted for ingredient(s)

**Appropriate Engineering Controls** 

**Engineering Controls** 

Ensure adequate ventilation (capture velocity of 150 ft/min minimum). Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

**Eye/Face protection** 

Use chemical safety goggles and/or full face shield where splashing is possible.

**Skin/Body protection** Protective Chemical impervious gloves of butyl rubber, nitrile rubber, or

PVC, chemical resistant suit and boots. Use body protection appropriate for task. An apron or other impermeable body protection is suggested. Full-body chemical protective clothing is recommended for

emergency response procedures.

Respiratory protection NIOSH approved respirators should be worn if misting may occur and

exposure is likely to exceed exposure limits up to 10X. Wear SCBA for

exposure greater than 10X exposure limits.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

Keep away from food and drink.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceColorless to yellow liquidOdorpungentColorColorless to yellowOdor ThresholdNot Det.

 $\begin{array}{c|cccc} \underline{\textbf{Property}} & \underline{\textbf{Values}} & \underline{\textbf{Remarks / Method}} \\ \textbf{pH} & 2.0-4.0 & @ 25^{\circ}\text{C (77^{\circ}\text{F})} \\ \textbf{Melting point/range} & -3^{\circ}\text{C / 26.6^{\circ}\text{F}} & \text{Water Solution} \\ \textbf{Boiling point/range} & \sim 100^{\circ}\text{C / 212^{\circ}\text{F}} & \text{Water Solution} \\ \end{array}$ 

Flash point Not applicable

Evaporation rate < 1.00

Flammability (solid, gas) Liquid - Not applicable

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure

Not applicable
Not determined

Vapor density ~ 0.6 Relative density (Specific Gravity) 1.02

Water Solubility Completely Soluble Solubility in other solvents Not determined

Partition Coefficient log Pow: 0.401 Method not specified

Auto-ignition temperature

Decomposition temperature

Kinematic Viscosity

Not determined
Not determined
Not determined

**Dynamic Viscosity** 3 mPa s @ 25°C (77°F)

Explosive Properties Not determined Oxidizing Properties Not determined

Additional Information Note: The physical data presented above are typical values and should

not be construed as a specification.

# 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

Stability Stable under recommended storage conditions

Possibility of hazardous reactions None under normal processing

Hazardous Polymerization Hazardous Polymerization does not occur

Conditions to avoid Keep out of reach of children. Keep separated from incompatible

substances.

**Incompatible Materials** Strong oxidizing agents. Reducing agents. Amines. Mercaptans.

**Hazardous decomposition** 

products

Thermal decomposition of product can produce toxic vapors of

sulfur oxides, hydrogen chloride, and oxides of nitrogen.

# 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

Inhalation May cause irritation of respiratory tract. May cause drowsiness or

dizziness.

**Ingestion** Harmful if swallowed.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Magnesium Nitrate 10377-60-3	= 5440 mg/kg (Rat)	-	-
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	> 1008 mg/kg (Rat)	= 1.23 mg/L (Rat) 4 hr
Magnesium chloride 7786-30-3	= 2800 mg/kg (Rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms Please see Section 4 of this SDS for symptoms

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by skin contact. May cause an allergic skin

reaction.

Carcinogenicity The table below indicates whether each agency has listed any

ingredient as a carcinogen. However, the product as a whole has not

been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Magnesium Nitrate 10377-60-3		Group 2A		X

#### Legend

IARC (International Agency for Research on Cancer)

Group 2A – Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information** 

Chemical Name	Algae/aquatic plants	Fish	Toxicity to micro- organisms	Crustacea
Methylchloroisothiazolinone 26172-55-4	0.31: 120 h Anabaena flos- aquae mg/L EC50 0.11 – 0.16: 72 h Pseudokirchneriella Subcapitata mg/L EC50 static 0.03 – 0.13: 96 h Pseudokirchneriella Subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static		4.71: 48 h Daphnia magna mg/L EC50 0.12 – 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 – 0.99: 48 h Daphnia magna mg/L EC50 static
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	4210: 96 h Gambusia affinis mg/L LC50 static 1970 – 3880: 96 h Pimephales promelas mg/L LC50 static		1400: 24 h Daphnia magna mg/L EC50 140: 48 h Daphnia magna mg/L EC50 static

# Persistence and degradability

Not determined

# **Bioaccumulation**

Not determined

# **Mobility**

Chemical Name	Partition Coefficient
Methylchloroisothiazolinone 26172-55-4	-0.71 – 0.75

# Other adverse effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

Waste disposal Disposal should be in accordance with applicable regional, national,

and local laws and regulations

Contaminated Packaging Disposal should be in accordance with applicable regional, national,

and local laws and regulations

**US EPA Waste Number** 

D002

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Magnesium Nitrate	Ignitable
10377-60-3	Reactive

# 14. TRANSPORTATION INFORMATION

Note Please see current shipping paper for most up to date shipping

information, including exemptions and special circumstances.

DOT

UN/ID No UN3265

Proper shipping Name Corrosive liquid, acidic, organic, n.o.s (5-Chloro-2-methyl-4-

isothiazolin-3-one)

Hazard Class 8
Packing Group ||

<u>IATA</u>

UN/ID No UN3265

Proper shipping Name Corrosive liquid, acidic, organic, n.o.s (5-Chloro-2-methyl-4-

isothiazolin-3-one)

Hazard Class 8
Packing Group | |

**IMDG** 

UN/ID No UN3265

Proper shipping Name Corrosive liquid, acidic, organic, n.o.s (5-Chloro-2-methyl-4-

isothiazolin-3-one)

Hazard Class 8
Packing Group | |

Marine Pollutant This product contains a chemical, which is listed as a severe marine

pollutant according to IMDG/IMO

# 15. REGULATORY INFORMATION

# **International Inventories**

**TSCA** Complies

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

# **US Federal Regulations**

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) Releases in excess of its reportable quantity must be reported to the National Response Center (1-800-424-8802) and to the appropriate state and local emergency response organizations. The formulation of this mixture as a whole has a reportable quantity of 100 lb. for EPA waste code D002.

#### SARA 311/312 Hazard Categories

Acute Health Hazard yes

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals, which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight %	SARA 313 – Threshold Values %
Magnesium Nitrate 10377-60-3	10377-60-3	1.4 – 2.0	1.0

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# **US State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Magnesium Nitrate 10377-60-3	X	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	<b>Health Hazards</b>	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	<b>Health Hazards</b>	Flammability	Physical Hazards	Personal Protection
	3	0	0	Not determined

Revision Date: 4-Apr-2016

Previous Revision Date: 28-May-2015 Approved by: EH&S Department

# All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Additionally, if this Safety Data Sheet is more than three years old, you should contact Bulk Chemical Services at the phone number listed below to make certain that this sheet is current.

Although the information and recommendations set forth herein (herinafter "information") are presented in good faith and believed to be correct as of the date hereof, Bulk Chemical Services makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Bulk Chemical Services be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this SDS and the English version of it, the English version shall prevail.

Prepared by EH&S DEPARTMENT

BULK CHEMICAL SERVICES, LLC 1303 Boyd Avenue NW

Atlanta, GA 30318 USA

Phone number: (404) 350-8404

End of safety data sheet